


Assessment Number: 1			Assessment Date: 14/7/20
Plant Type:Core DrillPlant Make:VariousPlant Model:			Assessment Facilitated by: Leigh Evans (Admin/Accounts Manager)
Asset/Fleet/Rego No: COREDR Plant Serial No.			Assessment Participants: Lachlan Horton (Yard Manager)
Plant Owner Name: Northern Hire Group			Initial Assessment Follow up Assessment (See below)
Follow up based on change to:			
Use of plant 🗌 System of work 🗌 Plant	Environmer	nt 🗌	New or additional information Plant through modification
Is the plant designed to perform the task?	Yes X I	No 🗌	
Has the plant been modified from the original condition?	Yes 🗌 🛛 I	No X	
Is the plant in good working condition and free of weeds & mud?	Yes X I	No 🗌]
All identified action items closed out/addressed (plant checks)?	Yes X I	No 🗌	
Is the plant safe to operate? (On completion of PHA and action closure)	Yes X I	No 🗌	
			Date: Signature:

Issue Date: 14/7/2020



Risk / Opportunity Rating Table (see Risk Management Consultation

<u>Process Appendix</u> for a full description of Risk Consequence, Opportunity Consequence and Likelihood Ratings)



Action and Approval Scheme

These suggested timings and tolerance levels in the Action Table will be overridden by specific policies of the company that either dictate shorter timeframes for corrective action or zero tolerance. For example, the company has a zero tolerance policy for Safety and Environmental risks.

The decision to tolerate a risk or capture a opportunity should be based on a consideration of:

Whether the risk / opportunity is being controlled to a level that is reasonably achievable;

Whether it would be cost-effective to further control risk or capture the opportunity;

Whether the user wishes to tolerate risks / opportunities of that type

Action Table

Residual risk / opp level	Suggested action	Timing of status report and management plans	Authority for continued toleration or improvement of residual rating.
А	Take action to eliminate or implement additional controls to reduce it to acceptable level (ALARP/SFAIRP). "Onsite activities" – Intolerable and activity must not commence	Report as soon as practicable. Normally within hours.	Senior Executive Manager Plus Project Manager / Project Leadership Team
В	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Corporate Management review	Manage and re-evaluate risk / opportunity to allow reporting days Manage and re-evaluate risk / opportunity to allow reporting every two weeks	General Manager and / or Project Manager / Project Leadership Team
с	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Site Management review	Manage and re-evaluate risk / opportunity to allow reporting monthly	"Specialist" Manager, eg Construction or Design Manager
D	Will still require attention within existing operations to reduce to ALARP/SFAIRP. "Onsite Activities" – Site Management must determine appropriate level of management and supervision prior to commencement of activity	Manage and re-evaluate risk / opportunity to allow reporting every quarter	Team Leader
E	Lower priority. May be tolerable.	Monitor, manage and carryout activity in accordance with identified controls	Supervisor

Revision No: 1

Issue Date: 14/7/2020



Potential Hazards	I	Haza		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
1. Are there any specific warnings or conditions (manufacturers or other) relating to potential hazards from the operation of the item of plant?	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 Refer to technical or operating manuals, SOPs, safe use instructions List any relevant safety warning hazards & controls 										
 2. Are there any <u>COMMUNICATION</u> requirements in relation to the safe operation of the plant? Active signalling processes. Point to point communications. Whistle Spotter (with/without whistles) Flag signalling Labels and signage 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 3. Can anyone be <u>ENTANGLED</u> in the plant? Hair or other body parts caught in moving parts PPE caught in moving parts Isolation devices Warning decals Guarding Rotating parts Emergency stops 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					



Potential Hazards	I	Haza		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
 4. Can anyone be CRUSHED or TRAPPED? (e.g. through unexpected movement, lack of capability for plant or equipment to be slowed, stopped or immobilised, plant tipping or rolling, being thrown from plant) Emergency stop (E Stop) Service or parking brake Battery isolator ROPs/FOPs Being crushed between moving parts Unexpected movement Neutral Start Reversing/travel alarm Warning horn Amber flashing beacon Rear swing warning lights Pedals non slip surface Appropriate controls Rear view mirror Seat belt Door inter locks Crush zone decals Guarding devices Mandatory secondary protection device installed on all boomtype MEWP 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions Perform site specific risk assessment					



Potential Hazards	ŀ	lazar		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Y	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
 5. Can anyone be CUT, STABBED or PUNCTURED? Flying objects Moving parts Pinch points Sharp edges Isolation devices Warning decals Guarding 	Y			Potental Hazard	Please refer to the Operator Manual for Safety Precautions					
 6. Can SHEARING occur? Between two moving and rotating parts Between fixed and moving parts Warning decals Guarding 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 7. Can ABRASION, TEARING or STRETCHING occur? Continuous contact with moving parts Warning decals Guarding Pulling/pushing 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					



Potential Hazards	ł	laza		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
	Υ	Ν	N/ A				on Plant	Level	(Name and Date)	Date)
 8. Can anyone be STRUCK whilst operating the plant? Plant disintegrating Mobility of plant travelling Reversing/travel alarm Amber flashing beacon Work pieces thrown out Moving parts Warning decals Guarding 	Y			Potential hazard	Please refer to the Operator Manual for Safety Precautions Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a site specific risk assessment must be undertaken onsite to determine PPE and controls					
 9. Can a hazardous PRESSURE be produced? Hydraulic hoses Radiator Come into contact with fluids under high pressure 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 10. Can an ELECTRICAL hazard be created? Lack of insulation Contact with electrical conductors Poor earthing Water near equipment Lack of isolation Warning decals 	Ŷ			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					



Potential Hazards	ł	laza		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
 11. Can an EXPLOSION or LOSS OF CONTENTS occur? Gas emission, Dusts Vapours, lubricants Fuel tank Storage of haz chemicals/ DG's near plant Warning decals Ejection of workpiece Collapse or fragmentation 	Ŷ			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 12. Can anyone using or near the plant SLIP, TRIP or FALL? Uneven surface Fall from a height Weather conditions Slippery surfaces 	Ŷ			Potential Hazard	Site specific risk assessment must be undertaken by client prior to operating plant					
 13. Are there ERGONOMIC MANUAL HANDLING hazards associated with the plant? Poor posture Repetitive or sustained movements Awkward positions Strained movements Poorly designed seating Access and egress Access for maintenance Routine inspections and adjustments 	Ŷ			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					



Potential Hazards	I	Hazar	ď	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
14. Are there ERGONOMIC - OPERATING CONTROL hazards associated with the plant?		N								
 Difficult to understand Inappropriate colouring Function not identified Inappropriate controls & switches Access and egress Labelling of controls and indicators Variation in operators Operation by two or more persons 										
 15. Are there specific requirements for ISOLATION of energy sources? Hydraulic pressure Compressed gases Electrical feeds/capacitors Motive power systems Suspended loads Operation by two or more persons 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 16. Can unplanned LOSS of POWER create a hazard? Engine shutdown Loss of electrical supply Loss of steering systems Ability to apply brakes and stop Ability to lower suspended loads 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					



Potential Hazards	ł	Hazaı	-	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
17. Can anyone be SUFFOCATED?		N								
 Lack of oxygen Contaminated atmosphere Confined spaces Spaces where air flow is inadequate 										
18. Does operation of the plant cause extreme TEMPERATURE changes?		N								
 Fire Burns through conduction Convection Cryogenic burns Operation in extreme heat or cold 										
 19. Can a FIRE occur? Friction Ingress of materials/fluids Build-up of materials/lubricants Fuels Fire extinguisher 	Ŷ			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 20. Can certain WEATHER conditions create a hazard? Hypothermia / extreme cold Heat stroke / extreme hot Wet conditions Electrical storms Dirt & mud on roads at egress points 	Y			Potential Hazard	Site specific risk assessment must be undertaken prior to operating plant. Observe local weather warnings.					



Potential Hazards		Hazaı		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
 21. Does VIBRATION of the plant create a hazard? Plant becomes unstable Causes physical problems for the operator whilst operating Vibration of equipment Operation could cause unacceptable vibration levels in nearby structures 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions					
 22. Can the plant emit toxic FUMES or VAPOURS? Exhaust fumes Chemicals Haz chemicals/DG's 	Y			Potential Hazard from exhaust fumes	Do not use in enclosed spaces. Ensure adequate ventilation					
 23. Carry out NOISE survey on page 14. Is the plant noisy? Emit >85 dBA at the operator Effects operator communication Noise impacts on community during out-of-hours work (including reversing beepers) 	Y			Potential hazard with prolonged use	Please refer to the Operator Manual for Safety Precautions					
 24. Carry out the LIGHT survey on page 14. Is there poor visibility At the controls At the task Darkens surrounding areas Light impacts on community or sensitive natural environment during out-of-hours work 			N/ A							



Potential Hazards	I	Hazaı	rd	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Y	Ν	N/ A	Doornoo natara	Controlo		on Plant	Level	By: (Name and Date)	(Name and Date)
25. Does the plant emit RADIATION?		Ν								
 Eg X-rays EMR Laser 										
 26. Can operation of the plant create DUST? Explosive atmosphere Breathing hazard Reduced visibility Nuisance dust at nearby community Impact on local flora and fauna Loss of topsoil and spread of weeds and pathogens 	Y			Potential Hazard	Site specific risk assessment must be undertaken to ensure hazardous dust is not disturbed by plant/task (e.g. asbestos) Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a risk assessment must be undertaken onsite to determine PPE and controls					
 27. Can the plant become UNSTABLE during operation? Working on uneven / unstable ground Shifting load Lack of plant support Outriggers 	Y			Potential Hazard	Please refer to the Operator Manual for Safety Precautions Site specific risk assessment must be undertaken by client onsite to determine PPE and controls					



Potential Hazards	I	Hazaı		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
28. Could LOSS of LOAD occur?	Y			Potential Hazard	Refer to Operator manual for pre-					
 Failure of ropes/slings Overloading Entanglement in surrounding structures Maintenance requirements 					operational checks, maintenance & load capacity					
 29. Is there anything in the SURROUNDING ENVIRONMENT that may produce a hazard? Power lines Low ceiling Other plant Storage areas Co-located equipment Isolation requirements Potential for flash flooding if operating adjacent to waterways Operating in known areas of weeds, pathogens or contamination Operating in sensitive 	Y			Potential Hazard	Site specific risk assessment must be undertaken to detemine controls, PPE & exclusion zones.					
environments requiring protection from offsite weeds/pathogens or spills										
 30. Can CHEMICALS create a hazard? Leaking from plant Splashing Explosion PPE considerations Spill kit considerations 	Ŷ			Potential Hazard	Site/liquid specific risk assessment must be undertaken to determine controls, PPE & exclusion zones.					



Potential Hazards	Hazard		-	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
	Υ	Ν	N/ A				on Plant	LOVOI	(Name and Date)	Date)
 31. Operator TRAINING / QUALIFICATIONS? Training requirements Qualification requirements Competency assessments Documentation Operator's manual Equipment experience Product knowledge 	Y				All operators must completely read and understand the Operator Manual prior to operating plant. Undertake a Job Safety and Environmental Analysis before use of plant, and use to determine that the relevant safety procedures are in place before commencing work.					
32. Are there <u>ANY OTHER</u> potential hazards generated by or during the use of this item of plant and/or any attachments?	Ŷ			Plant Failure	Pre – Operational Inspection	D	DAILY - Operators must complete Start-up checklist Operation checklist Parking Checklist	E		

ALL OPERATORS OF THE PLANT OR EQUIPMENT MUST BE BRIEFED ON THE PLANT HAZARD ASSESSMENT (PHA) PRIOR TO FIRST TIME USE.

ANY RELEVANT CONDITIONS WHICH MAY IMPACT ON THE OPERATION OF THIS ITEM OF PLANT OR EQUIPMENT MUST BE TRANSFERRED TO THE AMS/TRA.



Equipment Type:	Core Drill	Serial/Asset No.	COR	EDR
Make:	Various	Model:		
Test by (print):	Leigh Evans	Date:	14/7/2	0
Signature:	Ŭ			
Sound Level Meter	Unit Used:			
Manufactures speci	fied noise level:			>100 dBA
Background level:				dBA
Results – Operator'	s Station	>95 dBA High I		
(Equipment Operati	ng)	. 00	>90 dBA	
		>90	udа	Low Idle
Comments:				
	times when the unit	anel) is over 90 dB(A). is running. Failure to c		
must be worn at all in hearing damage Results – Bystande	times when the unit or loss. r Position:	is running. Failure to c	omply n	
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid	times when the unit or loss. r Position:		omply n	ay result
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front Rear	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front Rear	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA dBA dBA
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front Rear Left	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA dBA
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front Rear Left Right	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA dBA dBA
must be worn at all in hearing damage of Results – Bystande At 7 metres from sid Front Rear Left Right	times when the unit or loss. r Position:	is running. Failure to c	omply n	dBA dBA dBA

LIGHTING REPORT								
Test by (print):		Date:						
Signature:								
Lux Meter used:								
Results – Operator's station								
At controls			Lux					
At emergency control			Lux					
In front/over task			Lux					
Left side task			Lux					
Right side task			Lux					
Comments:								
Results – Surroundings:								
Clearly seen by others?	□ Yes	□ No						
Decrease lighting in walkways	□ Yes	□ No						
Decrease lighting to other wor	□ Yes	□ No						
Comments:								

Revision No: 1



COMMENTS:		

Issue Date: 14/7/2020