


Assessment Number: 1		/	Assessment Date: 1/7/19
Plant Type: Kanga Loader Plant Make: Kanga Plant Model: DW525		1	Assessment Facilitated by: Leigh Evans (Admin/Accounts Manager)
Asset/Fleet/Rego No: U04 351 / TBA Plant Serial No. A205787/A205723			Assessment Participants: Leah Ford (Yard Manager)
Plant Owner Name: Northern Hire Group		I	nitial Assessment Follow up Assessment (See below)
Follow up based on change to:			
Use of plant 🗌 System of work 🗌 Plant	Environme	ent 🗌	New or additional information Plant through modification
Is the plant designed to perform the task?	Yes X	No 🗌	
Has the plant been modified from the original condition?	Yes 🗌	No X	
Is the plant in good working condition and free of weeds & mud?	Yes X	No 🗌	
All identified action items closed out/addressed (plant checks)?	Yes X	No 🗌	
Is the plant safe to operate? (On completion of PHA and action closure)	Yes X	No 🗌	
			Date: Signature:



Risk / Opportunity Rating Table (see Risk Management Consultation

<u>Process Appendix</u> for a full description of Risk Consequence, Opportunity Consequence and Likelihood Ratings)



Action and Approval Scheme

These suggested timings and tolerance levels in the Action Table will be overridden by specific policies of the company that either dictate shorter timeframes for corrective action or zero tolerance. For example, the company has a zero tolerance policy for Safety and Environmental risks.

The decision to tolerate a risk or capture a opportunity should be based on a consideration of:

Whether the risk / opportunity is being controlled to a level that is reasonably achievable;

Whether it would be cost-effective to further control risk or capture the opportunity;

Whether John Holland wishes to tolerate risks / opportunities of that type

Action Table

Residual risk / opp level	Suggested action	Timing of status report and management plans	Authority for continued toleration or improvement of residual rating.
А	Take action to eliminate or implement additional controls to reduce it to acceptable level (ALARP/SFAIRP). "Onsite activities" – Intolerable and activity must not commence	Report as soon as practicable. Normally within hours.	Senior Executive Manager Plus Project Manager / Project Leadership Team
В	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Corporate Management review	Manage and re-evaluate risk / opportunity to allow reporting days Manage and re-evaluate risk / opportunity to allow reporting every two weeks	General Manager and / or Project Manager / Project Leadership Team
с	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Site Management review	Manage and re-evaluate risk / opportunity to allow reporting monthly	"Specialist" Manager, eg Construction or Design Manager
D	Will still require attention within existing operations to reduce to ALARP/SFAIRP. "Onsite Activities" – Site Management must determine appropriate level of management and supervision prior to commencement of activity	Manage and re-evaluate risk / opportunity to allow reporting every quarter	Team Leader
E	Lower priority. May be tolerable	Monitor, manage and carryout activity in accordance with identified controls	Supervisor

Revision No: 1

Issue Date: 1/7/2019



Potential Hazards	I	Hazaı		Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
1. Are there any specific warnings or conditions (manufacturers or other) relating to potential hazards from the operation of the item of plant?	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual	Please refer to Safety Instructions					
 Refer to technical or operating manuals, SOPs, safe use instructions List any relevant safety warning hazards & controls 										
 2. Are there any <u>COMMUNICATION</u> requirements in relation to the safe operation of the plant? Active signalling processes. Point to point communications. Whistle Spotter (with/without whistles) Flag signalling Labels and signage 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 3. Can anyone be <u>ENTANGLED</u> in the plant? Hair or other body parts caught in moving parts PPE caught in moving parts Isolation devices Warning decals Guarding Rotating parts Emergency stops 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						



Potential Hazards	ł	lazaı	rd	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Y	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
 4. Can anyone be CRUSHED or TRAPPED? (e.g. through unexpected movement, lack of capability for plant or equipment to be slowed, stopped or immobilised, plant tipping or rolling, being thrown from plant) Emergency stop (E Stop) Service or parking brake Battery isolator ROPs/FOPs Being crushed between moving parts Unexpected movement Neutral Start Reversing/travel alarm Warning horn Amber flashing beacon Rear swing warning lights Pedals non slip surface Appropriate controls Rear view mirror Seat belt Door inter locks Crush zone decals Guarding devices Mandatory secondary protection device installed on all boomtype MEWP 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						



Potential Hazards	ł	lazar		Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Y	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
 5. Can anyone be CUT, STABBED or PUNCTURED? Flying objects Moving parts Pinch points Sharp edges Isolation devices Warning decals Guarding 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 6. Can SHEARING occur? Between two moving and rotating parts Between fixed and moving parts Warning decals Guarding 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 7. Can ABRASION, TEARING or STRETCHING occur? Continuous contact with moving parts Warning decals Guarding Pulling/pushing 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 8. Can anyone be STRUCK whilst operating the plant? Plant disintegrating Mobility of plant travelling Reversing/travel alarm Amber flashing beacon Work pieces thrown out Moving parts Warning decals Guarding 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						



Potential Hazards	I	Hazaı	-	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
9. Can a hazardous PRESSURE be	Y			Potential Hazard						
 produced? Hydraulic hoses Radiator Come into contact with fluids under high pressure 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
10. Can an ELECTRICAL hazard be created?	Y			Potential Hazard						
 Lack of insulation Contact with electrical conductors Poor earthing Water near equipment Lack of isolation Warning decals 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 11. Can an EXPLOSION or LOSS OF CONTENTS occur? Gas emission, Dusts Vapours, lubricants Fuel tank Storage of haz chemicals/ DG's near plant Warning decals Ejection of workpiece Collapse or fragmentation 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 12. Can anyone using or near the plant SLIP, TRIP or FALL? Uneven surface Fall from a height Weather conditions Slippery surfaces 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						



Potential Hazards	ŀ	lazar	-	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action	Action Verified as Complete: (Name and
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	Date)
13. Are there ERGONOMIC - MANUAL HANDLING	Y			Potential Hazard						
hazards associated with the plant?				Please refer to Safety Information (attached) or Section 12 to 25 of Operator						
 Poor posture Repetitive or sustained movements Awkward positions 				Manual						
 Strained povements Poorly designed seating Access and egress Access for maintenance 										
 Routine inspections and adjustments 										
14. Are there ERGONOMIC - OPERATING	Y			Potential Hazard						
CONTROL hazards associated with the plant?				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 Difficult to understand Inappropriate colouring Function not identified Inappropriate controls & 										
switches Access and egress Labelling of controls and indicators										
 Variation in operators Operation by two or more persons 										



Potential Hazards	ŀ	Hazar	-	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
 15. Are there specific requirements for ISOLATION of energy sources? Hydraulic pressure Compressed gases Electrical feeds/capacitors Motive power systems Suspended loads Operation by two or more persons 	Ŷ			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 16. Can unplanned LOSS of POWER create a hazard? Engine shutdown Loss of electrical supply Loss of steering systems Ability to apply brakes and stop Ability to lower suspended loads 	Ŷ			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 17. Can anyone be SUFFOCATED? Lack of oxygen Contaminated atmosphere Confined spaces Spaces where air flow is inadequate 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 18. Does operation of the plant cause extreme TEMPERATURE changes? Fire Burns through conduction Convection Cryogenic burns Operation in extreme heat or cold 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						

Revision No: 1



Potential Hazards	ł	Hazar	ď	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
19. Can a FIRE occur?	Y			Potential Hazard						
 Friction Ingress of materials/fluids Build-up of materials/lubricants Fuels Fire extinguisher 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
20. Can certain WEATHER conditions create a	Y			Potential Hazard						
hazard? Hypothermia / extreme cold 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 Heat stroke / extreme hot Wet conditions Electrical storms Dirt & mud on roads at egress points 										
21. Does VIBRATION of the plant create a hazard?	Y			Potential Hazard						
 Plant becomes unstable Causes physical problems for the operator whilst operating Vibration of equipment Operation could cause unacceptable vibration levels in nearby structures 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
22. Can the plant emit toxic FUMES or VAPOURS?	Y			Potential Hazard						
 Exhaust fumes Chemicals Haz chemicals/DG's 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						



Potential Hazards	I	Hazaı	-	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
23. Carry out NOISE survey on page 14. Is the	Y			Potential Hazard						
plant noisy?				Potential Hazard						
 Emit >85 dBA at the operator Effects operator communication Noise impacts on community during out-of-hours work (including reversing beepers) 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
24. Carry out the LIGHT	Y			Potential Hazard						
survey on page 14. Is there poor visibility				Please refer to Safety						
 At the controls At the task Darkens surrounding areas Light impacts on community or sensitive natural environment during out-of-hours work 				Information (attached) or Section 12 to 25 of Operator Manual						
25. Does the plant emit RADIATION?	Y			Potential Hazard						
 Eg X-rays EMR Laser 				Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 26. Can operation of the plant create DUST? Explosive atmosphere Breathing hazard Reduced visibility Nuisance dust at nearby community Impact on local flora and fauna Loss of topsoil and spread of weeds and pathogens 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						



Potential Hazards	I	Hazaı	-	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
 27. Can the plant become UNSTABLE during operation? Working on uneven / unstable ground Shifting load Lack of plant support Outriggers 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 28. Could LOSS of LOAD occur? Failure of ropes/slings Overloading Entanglement in surrounding structures Maintenance requirements 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
 29. Is there anything in the SURROUNDING ENVIRONMENT that may produce a hazard? Power lines Low ceiling Other plant Storage areas Co-located equipment Isolation requirements Potential for flash flooding if operating adjacent to waterways Operating in known areas of weeds, pathogens or contamination Operating in sensitive environments requiring protection from offsite weeds/pathogens or spills 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						

Issue Date: 1/7/2019



Potential Hazards			d	Describe Hazard	Controls Currently In	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Y	Ν	N/ A		Place on Plant		on Plant	Level	By: (Name and Date)	(Name and Date)
 30. Can CHEMICALS create a hazard? Leaking from plant Splashing Explosion 	Y			Potential Hazard Please refer to Safety Information (attached) or Section 12 to 25 of Operator Manual						
PPE considerationsSpill kit considerations										
31. Operator TRAINING / QUALIFICATIONS?										
 Training requirements Qualification requirements Competency assessments Documentation Operator's manual Equipment experience Product knowledge 										
32. Are there <u>ANY OTHER</u> potential hazards generated by or during the use of this item of plant and/or any attachments?	Y			Plant Failure	Pre – Operational Inspection	D	DAILY - Operators must complete Start-up checklist Operation checklist Parking Checklist	E		

ALL OPERATORS OF THE PLANT OR EQUIPMENT MUST BE BRIEFED ON THE PLANT HAZARD ASSESSMENT (PHA) PRIOR TO FIRST TIME USE.

ANY RELEVANT CONDITIONS WHICH MAY IMPACT ON THE OPERATION OF THIS ITEM OF PLANT OR EQUIPMENT MUST BE TRANSFERRED TO THE AMS/TRA.



NOISE REPORT						
Equipment Type:	Kanga Loader	Serial/Asset No.	A205723 /A205787			
Make:	Kanga	Model:	DW525			
Test by (print):	Leigh Evans	Date:	1/7/19			
Signature:						
Sound Level Meter Unit Used:		EC Directive 2000/14 EC				
Manufactures specified noise level:		100 dBA				
Background level:			dBA			
Results – Operator's Station		100	dBA High Idle			
(Equipment Operating)		100	dBA Low Idle			
Comments:						
Deculto Ductordor	Desition					
Results – Bystander	e of equipment – Equi	inment Operating (Hi	ah Idle)			
Front			dBA			
Rear		dBA				
		dBA				
Left						
Right			dBA			
Comments:						

LIGHTING REPORT				
Test by (print):		Date:		
Signature:				
Lux Meter used:				
Results – Operator's station				
At controls				Lux
At emergency control				Lux
In front/over task				Lux
Left side task				Lux
Right side task				Lux
Comments:				
Results – Surroundings:				
Clearly seen by others?	□ Yes	□ No		
Decrease lighting in walkways?		□ Yes	🗆 No	
Decrease lighting to other workstations?		□ Yes	🗆 No	
Comments:				



COMMENTS:	

Issue Date: 1/7/2019