

Assessment Number: 1		Assessment Date: 9/6/20
Plant Type: Mobile Scaffold Plant Make: Molecular 6m Plant Model: No Bolt Aluminium Mobile Scaffold Tower		Assessment Facilitated by: Leigh Evans (Admin/Accounts Manager)
Asset/Fleet/Rego No: SCAF 6 1, 2, 3, 4, 5		Assessment Participants: Lachlan Horton (Yard Manager)
Plant Owner Name: Northern Hire Group		Initial Assessment
Follow up based on change to:		
Use of plant ☐ System of work ☐ Plant E	Environment [	New or additional information ☐ Plant through modification ☐
Is the plant designed to perform the task?	Yes X No	
Has the plant been modified from the original condition?	Yes No 2	x
Is the plant in good working condition and free of weeds & mud?	Yes X No	
All identified action items closed out/addressed (plant checks)?	Yes X No	
Is the plant safe to operate? (On completion of PHA and action closure)	Yes X No	
		Date: 8/7/19 Signature:

Revision No: 1

Issue Date: 9/6/2020

Page 1 of 16



Risk / Opportunity Rating Table (see <u>Risk Management Consultation</u>
<u>Process Appendix</u> for a full description of Risk Consequence, Opportunity Consequence and Likelihood Ratings)

	Almost Certain	D	С	В	Α	Α			
ting	Likely	D	D	С	В	Α			
Likelihood rating	Possible	Е	D	С	С	В			
Likeli	Unlikely	E	E	D	С	В			
	Rare	Е	E	D	D	С			
		1	2	3	4	5			
		Consequence rating							

#### **Action and Approval Scheme**

These suggested timings and tolerance levels in the Action Table will be overridden by specific policies of the company that either dictate shorter timeframes for corrective action or zero tolerance. For example, the company has a zero tolerance policy for Safety and Environmental risks.

The decision to tolerate a risk or capture a opportunity should be based on a consideration of:

Whether the risk / opportunity is being controlled to a level that is reasonably achievable;

Whether it would be cost-effective to further control risk or capture the opportunity;

Whether the user wishes to tolerate risks / opportunities of that type

#### **Action Table**

Residual risk / opp level	Suggested action	Timing of status report and management plans	Authority for continued toleration or improvement of residual rating.
A	Take action to eliminate or implement additional controls to reduce it to acceptable level (ALARP/SFAIRP).  "Onsite activities" — Intolerable and activity must not commence	Report as soon as practicable. Normally within hours.	Senior Executive Manager Plus Project Manager / Project Leadership Team
В	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Corporate Management review	Manage and re-evaluate risk / opportunity to allow reporting days  Manage and re-evaluate risk / opportunity to allow reporting every two weeks	General Manager and / or Project Manager / Project Leadership Team
С	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Site Management review	Manage and re-evaluate risk / opportunity to allow reporting monthly	"Specialist" Manager, eg Construction or Design Manager
D	Will still require attention within existing operations to reduce to ALARP/SFAIRP. "Onsite Activities" – Site Management must determine appropriate level of management and supervision prior to commencement of activity	Manage and re-evaluate risk / opportunity to allow reporting every quarter	Team Leader
E	Lower priority. May be tolerable	Monitor, manage and carryout activity in accordance with identified controls	Supervisor

Issue Date: 9/6/2020



Potential Hazards		Hazar	rd N/	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required on Plant	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
Are there any specific warnings or conditions (manufacturers or other) relating to potential hazards from the operation of the item of plant?	Y	N	A	Potential Hazard	Refer to Operator Manual		on Plant		(Name and Date)	Date)
<ul> <li>Refer to technical or operating manuals, SOPs, safe use instructions</li> <li>List any relevant safety warning hazards &amp; controls</li> </ul>										
Are there any     COMMUNICATION     requirements in relation to     the safe operation of the     plant?	Υ			Potential Hazard	Refer to Operator Manual					
<ul> <li>Active signalling processes.</li> <li>Point to point communications.</li> <li>Whistle</li> <li>Spotter (with/without whistles)</li> <li>Flag signalling</li> <li>Labels and signage</li> </ul>										
3. Can anyone be ENTANGLED in the plant?		N								
<ul> <li>Hair or other body parts caught in moving parts</li> <li>PPE caught in moving parts</li> <li>Isolation devices</li> <li>Warning decals</li> <li>Guarding</li> <li>Rotating parts</li> <li>Emergency stops</li> </ul>										

Revision No: 1 Page 3 of 16

Issue Date: 9/6/2020



Potential Hazards		Haza	ard	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
1 otomar nazaras	Υ	N	N.	,	Controls	Ourient Risk Edver	on Plant	Level	By: (Name and Date)	(Name and Date)
4. Can anyone be CRUSHED or TRAPPED? (e.g. through unexpected	Y			Falling, uncontrolled or unexpected movement of plant or load.	Scaffold must be set up and used on solid, stable ground.	D				
movement, lack of capability for plant or equipment to be slowed, stopped or immobilised, plant				Tipping or rolling over.	Do not exceed the maximum weight limit of the equipment.					
tipping or rolling, being thrown from plant)				Effects of wind and weather.	Use brake (if equipped) at all times while stopped. Wheel					
<ul> <li>Emergency stop (E Stop)</li> <li>Service or parking brake</li> <li>Battery isolator</li> <li>ROPs/FOPs</li> <li>Being crushed between</li> </ul>					chocks must be used when on a slope of any grade.					
moving parts  Unexpected movement  Neutral Start  Reversing/travel alarm  Warning horn					No person is to ride on the scaffold while in motion.					
<ul> <li>Namber flashing beacon</li> <li>Rear swing warning lights</li> <li>Pedals non slip surface</li> <li>Appropriate controls</li> <li>Rear view mirror</li> </ul>					Handrails must be installed prior to commencement of work.					
<ul> <li>Seat belt</li> <li>Door inter locks</li> <li>Crush zone decals</li> <li>Guarding devices</li> <li>Mandatory secondary protection device installed on all boomtype MEWP</li> </ul>					All other persons to keep clear of tower while in use due to risk of falling materials, tools, etc.					
					Client must risk assess workplace for the effects of weather and high winds.					

Revision No: 1 Page 4 of 16

Issue Date: 9/6/2020



Potential Hazards		Hazard		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/				on Plant	Level	By: (Name and Date)	(Name and Date)
5. Can anyone be CUT, STABBED or PUNCTURED?		N								
<ul><li>Flying objects</li><li>Moving parts</li><li>Pinch points</li><li>Sharp edges</li></ul>										
<ul><li>Isolation devices</li><li>Warning decals</li><li>Guarding</li></ul>										
Between two moving and rotating parts Between fixed and moving parts Warning decals Guarding		N								
<ul> <li>7. Can ABRASION,     TEARING or     STRETCHING occur?</li> <li>Continuous contact with     moving parts</li> <li>Warning decals</li> <li>Guarding</li> <li>Pulling/pushing</li> </ul>		N								

Revision No: 1 Page 5 of 16



Potential Hazards		Haza		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A	200011001100100			on Plant	Level	By: (Name and Date)	(Name and Date)
8. Can anyone be STRUCK whilst operating the plant?  Plant disintegrating Mobility of plant travelling Reversing/travel alarm Amber flashing beacon Work pieces thrown out Moving parts Warning decals Guarding	Y			Injury from uncontrolled or unexpected movement  Effects of wind and weather	Installation and operation of unit may require a SWMS under state legislation – check local requirements	D				
					Avoid installing unit near trenches, pits, cut-ins, ditches and other drop offs or areas where ground stability may be an issue.					
					Pre-operation check is recommended. Replace and repair any damaged items.					
					Scaffold must not be placed on slopes greater than 20°					
					Brake (if equipped) or wheel chocks must be applied					
					Client must risk assess workplace for the effects of weather and high winds.					

Revision No: 1

Page 6 of 16



Potential Hazards	ŀ	Hazar		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
9. Can a hazardous PRESSURE be produced?  Hydraulic hoses Radiator Come into contact with fluids under high pressure		N								
10. Can an ELECTRICAL hazard be created?  Lack of insulation Contact with electrical conductors Poor earthing Water near equipment Lack of isolation Warning decals	Y			Contact wih electrical components or overhead/underground electrical services  Shock during maintenance	Site induction and planning is the responsibility of the principal contractor  Ensure all site personnel receive appropriate instruction on all electrical service locations and associated control measures.  Minimum approach distances must be adhered to at all times  The plant must be isolated prior to maintenance.  Safety labels must be maintained	D				

Revision No: 1

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity

Issue Date: 9/6/2020



Potential Hazards	Hazard N/			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
	Υ	N	A				on Plant		(Name and Date)	Date)
11. Can an EXPLOSION or LOSS OF CONTENTS occur?		N								
<ul> <li>Gas emission,</li> <li>Dusts</li> <li>Vapours, lubricants</li> <li>Fuel tank</li> <li>Storage of haz chemicals/ DG's near plant</li> <li>Warning decals</li> <li>Ejection of workpiece</li> <li>Collapse or fragmentation</li> </ul>										
12. Can anyone using or near the plant SLIP, TRIP or FALL?		Ν								
<ul><li>Uneven surface</li><li>Fall from a height</li><li>Weather conditions</li><li>Slippery surfaces</li></ul>										
13. Are there ERGONOMIC - MANUAL HANDLING hazards associated with the plant?		N								
<ul> <li>Poor posture</li> <li>Repetitive or sustained movements</li> <li>Awkward positions</li> <li>Strained movements</li> <li>Poorly designed seating</li> <li>Access and egress</li> <li>Access for maintenance</li> <li>Routine inspections and adjustments</li> </ul>										

Revision No: 1 Page 8 of 16



Potential Hazards	ı	lazar		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
	Υ	N	N/ A				on Plant	Level	(Name and Date)	Date)
14. Are there ERGONOMIC - OPERATING CONTROL hazards associated with the plant?		N								
<ul> <li>Difficult to understand</li> <li>Inappropriate colouring</li> <li>Function not identified</li> <li>Inappropriate controls &amp; switches</li> <li>Access and egress</li> <li>Labelling of controls and indicators</li> <li>Variation in operators</li> <li>Operation by two or more persons</li> </ul>										
15. Are there specific requirements for ISOLATION of energy sources?		N								
<ul> <li>Hydraulic pressure</li> <li>Compressed gases</li> <li>Electrical feeds/capacitors</li> <li>Motive power systems</li> <li>Suspended loads</li> <li>Operation by two or more persons</li> </ul>										
16. Can unplanned LOSS of POWER create a hazard?			N/ A							
<ul> <li>Engine shutdown</li> <li>Loss of electrical supply</li> <li>Loss of steering systems</li> <li>Ability to apply brakes and stop</li> <li>Ability to lower suspended loads</li> </ul>										

Revision No: 1

Page 9 of 16



Potential Hazards	ı	Hazaı		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
17. Can anyone be SUFFOCATED?		N								
<ul> <li>Lack of oxygen</li> <li>Contaminated atmosphere</li> <li>Confined spaces</li> <li>Spaces where air flow is inadequate</li> </ul>										
18. Does operation of the plant cause extreme TEMPERATURE changes?		N								
Fire     Burns through conduction     Convection     Cryogenic burns     Operation in extreme heat or cold										
<ul> <li>19. Can a FIRE occur?</li> <li>Friction</li> <li>Ingress of materials/fluids</li> <li>Build-up of materials/lubricants</li> <li>Fuels</li> <li>Fire extinguisher</li> </ul>		N								
20. Can certain WEATHER conditions create a hazard?  Hypothermia / extreme cold Heat stroke / extreme hot Wet conditions Electrical storms Dirt & mud on roads at egress points	Y			Effects of wind and weather	Client must risk assess workplace for the effects of weather and high winds.	D				

Revision No: 1

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity



		Hazaı	rd				New or Additional	E. 15.	New or Additional	Action Verified
Potential Hazards	Υ	N	N/ A	Describe Hazard	Controls	Current Risk Level	Controls Required on Plant	Final Risk Level	Controls Action By: (Name and Date)	as Complete: (Name and Date)
21. Does VIBRATION of the plant create a hazard?		N								
<ul> <li>Plant becomes unstable</li> <li>Causes physical problems for the operator whilst operating</li> <li>Vibration of equipment</li> <li>Operation could cause unacceptable vibration levels in nearby structures</li> </ul>										
22. Can the plant emit toxic FUMES or VAPOURS?		N								
<ul><li>Exhaust fumes</li><li>Chemicals</li><li>Haz chemicals/DG's</li></ul>										
23. Carry out NOISE survey on page 14. Is the plant noisy?		N								
<ul> <li>Emit &gt;85 dBA at the operator</li> <li>Effects operator communication</li> <li>Noise impacts on community during out-of-hours work (including reversing beepers)</li> </ul>										
24. Carry out the LIGHT survey on page 14. Is there poor visibility		N								
At the controls     At the task     Darkens surrounding areas     Light impacts on community or sensitive natural environment during out-of-hours work										
25. Does the plant emit RADIATION?  • Eg X-rays		N								
■ Eg X-rays ■ EMR ■ Laser										



Potential Hazards	Hazard			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
T Otomar nazarao	Υ	N	N/ A	Dood in Do Tidada d	Controls	Carrone relation 2010.	on Plant	Level	By: (Name and Date)	(Name and Date)
26. Can operation of the plant create DUST?		N								
<ul> <li>Explosive atmosphere</li> <li>Breathing hazard</li> <li>Reduced visibility</li> <li>Nuisance dust at nearby community</li> <li>Impact on local flora and fauna</li> <li>Loss of topsoil and spread of weeds and pathogens</li> </ul>										
27. Can the plant become UNSTABLE during operation?  Working on uneven / unstable ground Shifting load Lack of plant support Outriggers	Y			Injury from uncontrolled or unexpected movement  Effects of wind and weather	Avoid installing unit near trenches, pits, cut-ins, ditches and other drop offs or areas where ground stability may be an issue.  Scaffold must not be placed on slopes greater than 20°.  Client must risk assess workplace for the effects of weather and high winds.	D				
28. Could LOSS of LOAD occur?		N								
<ul> <li>Failure of ropes/slings</li> <li>Overloading</li> <li>Entanglement in surrounding structures</li> <li>Maintenance requirements</li> </ul>										

Revision No: 1

Issue Date: 9/6/2020

Page 12 of 16

Issue Date: 9/6/2020



Potential Hazards	Y	Hazai	rd N/ A	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required on Plant	Final Risk Level	New or Additional Controls Action By: (Name and Date)	Action Verified as Complete: (Name and Date)
29. Is there anything in the SURROUNDING ENVIRONMENT that may produce a hazard?  Power lines Low ceiling Other plant Storage areas Co-located equipment Isolation requirements Potential for flash flooding if operating adjacent to waterways Operating in known areas of weeds, pathogens or contamination Operating in sensitive environments requiring protection from offsite weeds/pathogens or spills  30. Can CHEMICALS create a hazard?  Leaking from plant Splashing Explosion PPE considerations	Y	N		Potential Hazard	A site specific risk assessment must be undertaken by client to detemine controls, PPE & exclusion zones.	D				
Spill kit considerations  31. Operator TRAINING / QUALIFICATIONS?  Training requirements Qualification requirements Competency assessments Documentation Operator's manual Equipment experience Product knowledge	Y			Operation by persons who are not suitably qualified or experienced may result in injury to person, damage to property, and may also void insurance cover.	All operators must completely read and understand the Operator Manual prior to operating plant.					

Revision No: 1 Page 13 of 16



Potential Hazards		Hazard		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
32. Are there ANY OTHER potential hazards generated by or during the use of this item of plant and/or any attachments?		N								

ALL OPERATORS OF THE PLANT OR EQUIPMENT MUST BE BRIEFED ON THE PLANT HAZARD ASSESSMENT (PHA) PRIOR TO FIRST TIME USE.

ANY RELEVANT CONDITIONS WHICH MAY IMPACT ON THE OPERATION OF THIS ITEM OF PLANT OR EQUIPMENT MUST BE TRANSFERRED TO THE AMS/TRA.



NOISE REPORT					
Equipment Type:	Mobile Scaffold	Serial/Asset No.			
Make:	Molecular No Bolt Aluminium Scaffold Tower	Model:	6m Tower		
Test by (print):	Leigh Evans	Date:	9/6/20		
Signature:					
Sound Level Meter U	nit Used:				
Manufactures specific	ed noise level:			dBA	
Background level:				dBA	
Results - Operator's	Station		dBA	High Idle	
(Equipment Operating	g)		dBA	Low Idle	
Comments:					
Results - Bystander					
At 7 metres from side	of equipment – Equip	oment Operating (Hi	gh Idle)		
Front				dBA	
Rear				dBA	
Left				dBA	
Right				dBA	
Comments:					

LIGHTING REPORT				
Test by (print):		Date:		
Signature:				
Lux Meter used:				
Results - Operator's station				
At controls				Lux
At emergency control				Lux
In front/over task				Lux
Left side task				Lux
Right side task				Lux
Comments:				
Results – Surroundings:				
Clearly seen by others?		□ Yes	□ No	
Decrease lighting in walkways	?	□ Yes	□ No	
Decrease lighting to other wor	kstations?	□ Yes	□ No	
Comments:				



COMMENTS:	

Revision No: 1

Page 16 of 16