

Assessment Number: 1	Assessment Date: 27/8/20
Plant Type: Hedgetrimmer Plant Make: McCulloch Plant Model:	Assessment Facilitated by: Leigh Evans (Admin/Accounts Manager)
Asset/Fleet/Rego No: HEDGETRIM Plant Serial No.	Assessment Participants: Lachlan Horton (Yard Manager)
Plant Owner Name: Northern Hire Group	Initial Assessment
Follow up based on change to:	
Use of plant ☐ System of work ☐ Plant Environment ☐	New or additional information ☐ Plant through modification ☐
Is the plant designed to perform the task? Yes X No	
Has the plant been modified from the original condition? Yes ☐ No X	χ
Is the plant in good working condition and free of weeds & Yes X No mud?	
All identified action items closed out/addressed (plant Yes X No checks)?	
Is the plant safe to operate? (On completion of PHA and Yes X No action closure)	
	Date: Signature:

Revision No: 1

Page 1 of 19



Risk / Opportunity Rating Table (see <u>Risk Management Consultation</u>
<u>Process Appendix</u> for a full description of Risk Consequence, Opportunity Consequence and Likelihood Ratings)

	Almost Certain	D	С	В	Α	A				
ting	Likely	D	D	С	В	Α				
Likelihood rating	Possible	Е	D	С	С	В				
Likeli	Unlikely	E	E	D	С	В				
	Rare	E	E	D	D	С				
		1	2	3	4	5				
		Consequence rating								

Action and Approval Scheme

These suggested timings and tolerance levels in the Action Table will be overridden by specific policies of the company that either dictate shorter timeframes for corrective action or zero tolerance. For example, the company has a zero tolerance policy for Safety and Environmental risks.

The decision to tolerate a risk or capture a opportunity should be based on a consideration of:

Whether the risk / opportunity is being controlled to a level that is reasonably achievable;

Whether it would be cost-effective to further control risk or capture the opportunity;

Whether the user wishes to tolerate risks / opportunities of that type

Action Table

Residual risk / opp level	Suggested action	Timing of status report and management plans	Authority for continued toleration or improvement of residual rating.
A	Take action to eliminate or implement additional controls to reduce it to acceptable level (ALARP/SFAIRP). "Onsite activities" — Intolerable and activity must not commence	Report as soon as practicable. Normally within hours.	Senior Executive Manager Plus Project Manager / Project Leadership Team
В	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Corporate Management review	Manage and re-evaluate risk / opportunity to allow reporting days Manage and re-evaluate risk / opportunity to allow reporting every two weeks	General Manager and / or Project Manager / Project Leadership Team
С	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Site Management review	Manage and re-evaluate risk / opportunity to allow reporting monthly	"Specialist" Manager, eg Construction or Design Manager
D	Will still require attention within existing operations to reduce to ALARP/SFAIRP. "Onsite Activities" – Site Management must determine appropriate level of management and supervision prior to commencement of activity	Manage and re-evaluate risk / opportunity to allow reporting every quarter	Team Leader
E	Lower priority. May be tolerable	Monitor, manage and carryout activity in accordance with identified controls	Supervisor

Revision No: 1

Issue Date: 27/8/2020



Potential Hazards	Potential Hazards	Hazaı	ď	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
1. Are there any specific warnings or conditions (manufacturers or other) relating to potential hazards from the operation of the item of plant? Refer to technical or operating manuals, SOPs, safe use instructions List any relevant safety warning hazards & controls	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating.					
2. Are there any COMMUNICATION requirements in relation to the safe operation of the plant? Active signalling processes. Point to point communications. Whistle Spotter (with/without whistles) Flag signalling Labels and signage		N			Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a risk assessment must be undertaken onsite to determine PPE and controls.					

Revision No: 1 Page 3 of 19



Potential Hazards	H	lazar	d	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
3. Can anyone be ENTANGLED in the plant? Hair or other body parts caught in moving parts PPE caught in moving parts Isolation devices Warning decals Guarding Rotating parts Emergency stops	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating. Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a risk assessment must be undertaken onsite to determine PPE and controls					

Issue Date: 27/8/2020



Potential Hazards	Y	Hazaı N	N/ A	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required on Plant	Final Risk Level	New or Additional Controls Action By: (Name and Date)	Action Verified as Complete: (Name and Date)
4. Can anyone be CRUSHED or TRAPPED? (e.g. through unexpected movement, lack of capability for plant or equipment to be slowed, stopped or immobilised, plant tipping or rolling, being thrown from plant)		N	ζ.							
 Emergency stop (E Stop) Service or parking brake Battery isolator ROPs/FOPs Being crushed between moving parts Unexpected movement Neutral Start Reversing/travel alarm Warning horn Amber flashing beacon Rear swing warning lights Pedals non slip surface Appropriate controls Rear view mirror Seat belt Door inter locks Crush zone decals Guarding devices Mandatory secondary protection device installed on all boomtype MEWP 										

Revision No: 1 Page 5 of 19



Potential Hazards	ı	Hazaı		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A	2000.100 . 1020.10			on Plant	Level	By: (Name and Date)	(Name and Date)
5. Can anyone be CUT, STABBED or PUNCTURED? Flying objects Moving parts Pinch points Sharp edges Isolation devices Warning decals Guarding	Y			Potental Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a site specific risk assessment must be undertaken to determine PPE and controls					
Between two moving and rotating parts Between fixed and moving parts Warning decals Guarding	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating Do not remove guards. Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a site specific risk assessment must be undertaken to determine PPE					

Revision No: 1

Page 6 of 19



Potential Hazards	ı	Haza	rd	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
7. Can ABRASION, TEARING or STRETCHING occur? Continuous contact with moving parts Warning decals Guarding Pulling/pushing	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating. Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a siet specific risk assessment must be undertaken to determine PPE and controls					
8. Can anyone be STRUCK whilst operating the plant? Plant disintegrating Mobility of plant travelling Reversing/travel alarm Amber flashing beacon Work pieces thrown out Moving parts Warning decals Guarding	Y			Potential hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating. Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a site specific risk assessment must be undertaken to determine PPE and controls					

Revision No: 1

Page 7 of 19



Potential Hazards		Hazaı	d N/	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
	Υ	N	A				on Plant		(Name and Date)	Date)
9. Can a hazardous PRESSURE be produced?		N								
Hydraulic hoses Radiator Come into contact with fluids under high pressure										
10. Can an ELECTRICAL hazard be created?		N								
Lack of insulation Contact with electrical conductors Poor earthing Water near equipment Lack of isolation Warning decals										
11. Can an EXPLOSION or LOSS OF CONTENTS occur? Gas emission, Dusts Vapours, lubricants Fuel tank Storage of haz chemicals/DG's near plant Warning decals Ejection of workpiece Collapse or fragmentation	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating.					
12. Can anyone using or near the plant SLIP, TRIP or FALL? Uneven surface Fall from a height Weather conditions Slippery surfaces	Y			Potential Hazard	Site specific risk assessment must be undertaken by client prior to operating plant					

Revision No: 1

Issue Date: 27/8/2020

Page 8 of 19



Potential Hazards	H	Hazaı		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
13. Are there ERGONOMIC - MANUAL HANDLING hazards associated with the plant? Poor posture Repetitive or sustained movements Awkward positions Strained movements Poorly designed seating Access and egress Access for maintenance Routine inspections and adjustments	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating					
14. Are there ERGONOMIC - OPERATING CONTROL hazards associated with the plant? Difficult to understand Inappropriate colouring Function not identified		N								
 Inappropriate controls & switches Access and egress Labelling of controls and indicators Variation in operators Operation by two or more persons 										



Potential Hazards	ŀ	lazar		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
15. Are there specific requirements for ISOLATION of energy sources?		N								
 Hydraulic pressure Compressed gases Electrical feeds/capacitors Motive power systems Suspended loads Operation by two or more persons 										
16. Can unplanned LOSS of POWER create a hazard?		N								
 Engine shutdown Loss of electrical supply Loss of steering systems Ability to apply brakes and stop Ability to lower suspended loads 										
17. Can anyone be SUFFOCATED?		Ν								
 Lack of oxygen Contaminated atmosphere Confined spaces Spaces where air flow is inadequate 										



Potential Hazards	ı	Haza		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
18. Does operation of the plant cause extreme TEMPERATURE changes? Fire Burns through conduction Convection Cryogenic burns Operation in extreme heat or cold	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating Ensure proper use of PPE as friction can cause high heat on both blade and cut object which could result in injury					
 19. Can a FIRE occur? Friction Ingress of materials/fluids Build-up of materials/lubricants Fuels Fire extinguisher 	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating. Do not use saw on combustible materials Do not use on days of high fire risk					
20. Can certain WEATHER conditions create a hazard? Hypothermia / extreme cold Heat stroke / extreme hot Wet conditions Electrical storms Dirt & mud on roads at egress points	Y			Potential Hazard	Site specific risk assessment must be undertaken prior to operating plant. Observe local weather warnings.					

Revision No: 1

Page 11 of 19



Potential Hazards	Hazard			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action By:	Action Verified as Complete: (Name and
	Υ	N	N/ A				on Plant	Level	(Name and Date)	Date)
 21. Does VIBRATION of the plant create a hazard? Plant becomes unstable Causes physical problems for the operator whilst operating Vibration of equipment Operation could cause unacceptable vibration levels in nearby structures 	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating.					
22. Can the plant emit toxic FUMES or VAPOURS? Exhaust fumes Chemicals Haz chemicals/DG's	Y			Potential hazard from wood dust & exhaust fumes	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating Do not use in enclosed spaces. Ensure adequate ventilation					
23. Carry out NOISE survey on page 14. Is the plant noisy? Emit >85 dBA at the operator Effects operator communication Noise impacts on community during out-of-hours work (including reversing beepers)	Y			Potential hazard with prolonged use	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating.					



Potential Hazards	ı	Hazard			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N	1 /	Describe Hazara	Controls		on Plant	Level	By: (Name and Date)	(Name and Date)
24. Carry out the LIGHT survey on page 14. Is there poor visibility			N A								
 At the controls At the task Darkens surrounding areas Light impacts on community or sensitive natural environment during out-of-hours work 											
25. Does the plant emit RADIATION? Eg X-rays EMR Laser		N									



Potential Hazards	Hazard			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
26. Can operation of the plant create DUST? Explosive atmosphere Breathing hazard Reduced visibility Nuisance dust at nearby community Impact on local flora and fauna Loss of topsoil and spread of weeds and pathogens	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating Site specific risk assessment must be undertaken to ensure hazardous dust is not disturbed by plant/task (e.g. silica dust, asbestos) Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a risk assessment must be undertaken onsite to determine PPE and controls					



Page 15 of 19

Potential Hazards	ı	Hazard		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
T Otomai Hazarao	Υ	N	N/ A	200011301142414	001111010		on Plant	Level	By: (Name and Date)	(Name and Date)
 27. Can the plant become UNSTABLE during operation? Working on uneven / unstable ground Shifting load Lack of plant support Outriggers 	Y			Potential Hazard	Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating. Site specific risk assessment must be undertaken by client onsite to determine PPE and controls					
28. Could LOSS of LOAD occur? Failure of ropes/slings Overloading Entanglement in surrounding structures Maintenance requirements		N								

Revision No: 1

Issue Date: 27/8/2020



Potential Hazards	ı	Hazard						Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)				
29. Is there anything in the SURROUNDING ENVIRONMENT that may produce a hazard? Power lines Low ceiling Other plant Storage areas Co-located equipment Isolation requirements Potential for flash flooding if operating adjacent to waterways Operating in known areas of weeds, pathogens or contamination Operating in sensitive environments requiring protection from offsite weeds/pathogens or spills	Y			Potential Hazard	Site specific risk assessment must be undertaken to detemine controls, PPE & exclusion zones.									
 30. Can CHEMICALS create a hazard? Leaking from plant Splashing Explosion PPE considerations Spill kit considerations 	Y			Potential Hazard from fuel leakage	Site/liquid specific risk assessment must be undertaken to detemine controls, PPE & exclusion zones.									

Revision No: 1 Page 16 of 19



Potential Hazards	ı	Hazaı	ď	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk Level	New or Additional Controls Action	Action Verified as Complete:
T Otomar Hazardo	Υ	N	N/ A				on Plant		By: (Name and Date)	(Name and Date)
31. Operator TRAINING / QUALIFICATIONS? Training requirements Qualification requirements Competency assessments Documentation Operator's manual Equipment experience Product knowledge	Y				Ensure all users have read and understood the Safety Instructions and pages 5-7 of the Operator Manual before operating Undertake a Job Safety and Environmental Analysis before use of plant, and use to determine that the relevant safety procedures are in place before commencing work.					
32. Are there ANY OTHER potential hazards generated by or during the use of this item of plant and/or any attachments?	Y			Plant Failure	Pre – Operational Inspection	D	DAILY - Operators must complete Start-up checklist Operation checklist	E		

ALL OPERATORS OF THE PLANT OR EQUIPMENT MUST BE BRIEFED ON THE PLANT HAZARD ASSESSMENT (PHA) PRIOR TO FIRST TIME USE.

ANY RELEVANT CONDITIONS WHICH MAY IMPACT ON THE OPERATION OF THIS ITEM OF PLANT OR EQUIPMENT MUST BE TRANSFERRED TO THE AMS/TRA.

Revision No: 1

Issue Date: 27/8/2020



NOISE REPORT									
Equipment Type:	Hedgetrimmer	Serial/Asset No.	HEDG	ETRIM					
Make:	McCulloch	Model:	Superlite 4528						
Test by (print):	Leigh Evans	Date:	27/8/20						
Signature:									
Sound Level Meter Ur	nit Used:								
Manufactures specifie	ed noise level:		,	95-105 dBA					
Background level:				95 dBA					
Results - Operator's		>105	dBA	High Idle					
(Equipment Operating	g)	>95	dBA	Low Idle					
Comments:									
protection must be we	or position (Start Pane orn at all times within y result in hearing dan	the canopy when the							
Results – Bystander F									
At 7 metres from side	of equipment – Equip	ment Operating (Hig	gh Idle)						
Front				90 dBA					
Rear		90 dBA							
Left		90 dBA							
Right		90 dBA							
Comments:									

LIGHTING REPORT				
Test by (print):		Date:		
Signature:				
Lux Meter used:				
Results - Operator's station				
At controls				Lux
At emergency control				Lux
In front/over task				Lux
Left side task				Lux
Right side task				Lux
Comments:				
Results – Surroundings:				
Clearly seen by others?		□ Yes	□ No	
Decrease lighting in walkways	?	□ Yes	□ No	
Decrease lighting to other wor	kstations?	□ Yes	□ No	
Comments:				

Revision No: 1



COMMENTS:	

Revision No: 1

Page 19 of 19