

| Assessment Number: BC05   |                         |           | Assessment Date: 21/2/2023  |
|---|-------------------------|-----------|---|
| Plant Type: Dust Extractor Plant Make: Scan Dust Mini Plant Model: 50L  |                         |           | Assessment Facilitated by: Leigh Evans (Admin/Accounts Manager)   |
| Asset/Fleet/Rego No: DUST 1-3 Plant Serial No.                          |                         |           | Assessment Participants: Chris Feldbauer (Director)   |
| Plant Owner Name: Northern Hire Group                                   |                         |           | Follow up Assessment (See below for Revision No.)   |
| • plant o   | perators<br>working, or | in the vi | ist, consider the hazards that may affect: icinity of, the plant ed, such as visitors, pedestrians, contractors, etc. |
| Is the plant designed to perform the task?                              | Yes                     | No        |   |
| Has the plant been modified from the original condition?                | Yes                     | No        |   |
| Is the plant in good working condition and free of weeds & mud?         | Yes                     | No        |   |
| All identified action items closed out/addressed (plant checks)?        | Yes                     | No        |   |
| Is the plant safe to operate? (On completion of PHA and action closure) | Yes                     | No        | Date: 21/2/2023 Signature:  |

Revision No: 2



This document has been developed as a guide to identify hazards on plant only.

This Risk Assessment has been conducted to the guidelines as detailed in the Worksafe booklet "Plant Hazard Checklist"

#### Workplace hazards have not been identified.

Job safety analysis (J.S.A) - Safe Work Method Statement (SWMS) is required to identify site/job specific workplace hazards.

Operators must take into account Job Safety Analysis when operating plant.

This assessment is conducted under a static condition as per Occupational Health & Safety Regulations Victoria 2017. A site specific assessment should be conducted at each change of location. Refer to Plant Regulations/National Standards for Plant (NOHSC).

#### **Action and Approval Scheme**


These suggested timings and tolerance levels in the Action Table will be overridden by specific policies of the company that either dictate shorter timeframes for corrective action or zero tolerance. For example, the company has a zero tolerance policy for Safety and Environmental risks.

The decision to tolerate a risk or capture a opportunity should be based on a consideration of:

Whether the risk / opportunity is being controlled to a level that is reasonably achievable;

Whether it would be cost-effective to further control risk or capture the opportunity;

Whether the operator/user wishes to tolerate risks / opportunities of that type



#### Disclaimer:

This Plant Hazard & Risk Assessment does not eliminate the Owner/Operator responsibility to maintain the Plant as per OH & S Regulations Victoria 2017/National Standards for Plant (NOHSC).

This assessment provides information that is based on an inspection that was made on the date noted on the assessment cover sheet. If any addition, alteration or modification has been made to this mobile item plant subsequent to that date, it may not confirm to a satisfactory level of acceptance.

All hazards identified in this document must be rectified within 21 days of date listed on this form.

If faults are not rectified in 21 days, this document becomes null and void.

I acknowledge receipt of the complete Assessment for the Plant item detailed on the cover sheet.

| Supervisor/Operator | name: | <br> | <br> | <br> | <br> | <br> | <br> |  |
|---------------------|-------|------|------|------|------|------|------|--|
|                     |       |      |      |      |      |      |      |  |

Supervisor/Operator Signature:

**Date:** / /

#### Further information

Contact the WorkSafe Victoria Advisory Service on 1800 136 089 or go to worksafe.vic.gov.au to download:

- Occupational Health and Safety Act 2004
- Occupational Health and Safety Regulations 2017
- Plant Compliance Code
- · Hazardous Manual Handling Compliance Code
- Noise Compliance Code
- Hazardous Substances Compliance Code
- · Code of Practice for Storage & Handling of Dangerous Goods

Revision No: 2

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity



| Potential Hazards   | ı | Hazaı |         | Describe Hazard  | Controls   | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|---|---|-------|---------|--|--|--------------------|--|------------|--------------------------------------|------------------------------|
|   | Υ | N     | N/<br>A |  |  |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and Date)              |
| Are there any specific warnings or conditions (manufacturers or other) relating to potential hazards from the operation of the item of plant?   | Υ |       |         | Potential Hazard   | Refer to Data<br>Safety Sheets<br>and load<br>specifications.  | L                  |  |            |                                      |                              |
| <ul> <li>Refer to technical or operating<br/>manuals, SOPs, safe use<br/>instructions</li> <li>List any relevant safety<br/>warning hazards &amp; controls</li> </ul>                                   |   |       |         |  | risk assessment<br>should be<br>conducted to<br>determine safe<br>placement  |                    |  |            |                                      |                              |
| 2. Are there any COMMUNICATION requirements in relation to the safe operation of the plant?   |   | N     |         |  |  |                    |  |            |                                      |                              |
| <ul> <li>Active signalling processes.</li> <li>Point to point communications.</li> <li>Whistle</li> <li>Spotter (with/without whistles)</li> <li>Flag signalling</li> <li>Labels and signage</li> </ul> |   |       |         |  |  |                    |  |            |                                      |                              |
| <ul> <li>Can anyone be ENTANGLED in the plant?</li> <li>Hair or other body parts caught in moving parts</li> <li>PPE caught in moving parts</li> </ul>  | Y |       |         | Potential injury from contact with suction inlet, hose or moving parts | Keep all body<br>parts, jewellry,<br>clothing and<br>body parts away<br>from suction<br>inlet, hose and<br>moving parts. | L                  |  |            |                                      |                              |
| <ul> <li>Isolation devices</li> <li>Warning decals</li> <li>Guarding</li> <li>Rotating parts</li> <li>Emergency stops</li> </ul>  |   |       |         |  | Ensure all guards are in place before operating.   |                    |  |            |                                      |                              |
|   |   |       |         |  | Never aim<br>suction hose at<br>persons or body<br>parts. Do not<br>use to clean<br>clothing.                            |                    |  |            |                                      |                              |

Revision No: 2

Issue Date: 21/2/2023

Page 3 of 16

Issue Date: 21/2/2023



| Potential Hazards   | Y | Hazar<br>N | rd<br>N/<br>A | Describe Hazard | Controls | Current Risk Level | New or Additional<br>Controls Required<br>on Plant | Final Risk<br>Level | New or Additional<br>Controls Action<br>By:<br>(Name and Date) | Action Verified<br>as Complete:<br>(Name and<br>Date) |
|---|---|------------|---------------|-----------------|----------|--------------------|--|---------------------|--|---|
| 4. Can anyone be CRUSHED or TRAPPED? (e.g. through unexpected movement, lack of capability for plant or equipment to be slowed, stopped or immobilised, plant tipping or rolling, being thrown from plant)  |   | N          | A             |                 |          |                    |  |                     |  |   |
| <ul> <li>Emergency stop (E Stop)</li> <li>Service or parking brake</li> <li>Battery isolator</li> <li>ROPs/FOPs</li> <li>Being crushed between moving parts</li> <li>Unexpected movement</li> <li>Neutral Start</li> <li>Reversing/travel alarm</li> <li>Warning horn</li> <li>Amber flashing beacon</li> <li>Rear swing warning lights</li> <li>Pedals non slip surface</li> <li>Appropriate controls</li> <li>Rear view mirror</li> <li>Seat belt</li> <li>Door inter locks</li> <li>Crush zone decals</li> <li>Guarding devices</li> <li>Mandatory secondary protection device installed on all boomtype MEWP</li> </ul> |   |            |               |                 |          |                    |  |                     |  |   |

Revision No: 2 Page 4 of 16

Issue Date: 21/2/2023



| Potential Hazards   | ŀ | Hazar |         | Describe Hazard                                  | Controls                                    | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|---|---|-------|---------|--|---|--------------------|--|------------|--------------------------------------|------------------------------|
|   | Υ | N     | N/<br>A |  |   |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and<br>Date)           |
| 5. Can anyone be CUT,<br>STABBED or<br>PUNCTURED?   |   | Z     |         |  |   |                    |  |            |                                      |                              |
| <ul><li>Flying objects</li><li>Moving parts</li><li>Pinch points</li><li>Sharp edges</li></ul>  |   |       |         |  |   |                    |  |            |                                      |                              |
| <ul><li>Isolation devices</li><li>Warning decals</li><li>Guarding</li></ul>   |   |       |         |  |   |                    |  |            |                                      |                              |
| 6. Can SHEARING occur?  |   | Z     |         |  |   |                    |  |            |                                      |                              |
| <ul> <li>Between two moving and rotating parts</li> <li>Between fixed and moving parts</li> <li>Warning decals</li> <li>Guarding</li> </ul> |   |       |         |  |   |                    |  |            |                                      |                              |
| 7. Can ABRASION,<br>TEARING or<br>STRETCHING occur?   | Υ |       |         | Potential injury from contact with suction inlet | Avoid contact with body parts and clothing. | L                  |  |            |                                      |                              |
| <ul> <li>Continuous contact with moving parts</li> <li>Warning decals</li> <li>Guarding</li> <li>Pulling/pushing</li> </ul>                 |   |       |         |  |   |                    |  |            |                                      |                              |

Revision No: 2 Page 5 of 16

Issue Date: 21/2/2023



| Potential Hazards   | I | Hazar | d       | Describe Hazard                       | Controls  | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|---|---|-------|---------|---------------------------------------|---|--------------------|--|------------|--------------------------------------|------------------------------|
|   | Υ | N     | N/<br>A | 2000.1100.1100.110                    | 001111010   |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and<br>Date)           |
| 8. Can anyone be STRUCK whilst operating the plant?   | Υ |       |         | Potential Hazard form incorrect usage | Do not use on large objects or liquids.   |                    |  |            |                                      |                              |
| <ul> <li>Plant disintegrating</li> <li>Mobility of plant travelling</li> <li>Reversing/travel alarm</li> <li>Amber flashing beacon</li> <li>Work pieces thrown out</li> <li>Moving parts</li> <li>Warning decals</li> <li>Guarding</li> </ul> |   |       |         |                                       | Exclusion zones and PPE (goggles, mask, protective clothing) will be required and site specific a risk assessment must be undertaken to determine PPE and controls. |                    |  |            |                                      |                              |
| 9. Can a hazardous PRESSURE be produced?  |   | Z     |         |                                       |   |                    |  |            |                                      |                              |
| Hydraulic hoses     Radiator     Come into contact with fluids under high pressure  |   |       |         |                                       |   |                    |  |            |                                      |                              |

Revision No: 2 Page 6 of 16



| Potential Hazards  | ŀ | Hazaı |         | Describe Hazard                     | Controls  | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|--|---|-------|---------|-------------------------------------|---|--------------------|--|------------|--------------------------------------|------------------------------|
|  | Υ | N     | N/<br>A |                                     |   |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and Date)              |
| 10. Can an ELECTRICAL hazard be created?  Lack of insulation   | Y |       |         | Potential injury from electrocution | Vac is designed for DRY USE ONLY.   | М                  |  |            |                                      |                              |
| Contact with electrical conductors Poor earthing Water near equipment Lack of isolation Warning decals |   |       |         |                                     | Ensure all users<br>have read and<br>understood the<br>Electrical Safety<br>Guide (attached)<br>before operating                        |                    |  |            |                                      |                              |
|  |   |       |         |                                     | Check power<br>lead daily and<br>do not use if<br>signs of wear or<br>damage<br>detected.   |                    |  |            |                                      |                              |
|  |   |       |         |                                     | Ensure the power source is connected to an RCD (safety switch), and that the lead and connections are protected from moisture.          |                    |  |            |                                      |                              |
|  |   |       |         |                                     | Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a site specific risk assessment must be undertaken to |                    |  |            |                                      |                              |
|  |   |       |         |                                     | determine PPE and controls  |                    |  |            |                                      |                              |

Revision No: 2

Page 7 of 16

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity

Issue Date: 21/2/2023



| Potential Hazards  | ı | Haza |         | Describe Hazard  | Controls  | Current Risk Level | New or Additional<br>Controls Required | Final Risk<br>Level | New or Additional<br>Controls Action<br>By: | Action Verified as Complete: (Name and |
|--|---|------|---------|--|---|--------------------|--|---------------------|---|--|
|  | Υ | N    | N/<br>A |  |   |                    | on Plant                               | Level               | (Name and Date)                             | Date)                                  |
| 11. Can an EXPLOSION or LOSS OF CONTENTS occur?  | Υ |      |         | Potential injury or allergy from loss of contents.       | Use only as per the manfacturers specifications.  | L                  |  |                     |   |  |
| <ul> <li>Gas emission,</li> <li>Dusts</li> <li>Vapours, lubricants</li> <li>Fuel tank</li> <li>Storage of haz chemicals/<br/>DG's near plant</li> <li>Warning decals</li> <li>Ejection of workpiece</li> <li>Collapse or fragmentation</li> </ul>                      |   |      |         |  | Do not allow collection bag/bin to overfill – monitor and empty regularly, using appropriate PPE                              |                    |  |                     |   |  |
| <ul> <li>12. Can anyone using or near the plant SLIP, TRIP or FALL?</li> <li>Uneven surface</li> <li>Fall from a height</li> <li>Weather conditions</li> <li>Slippery surfaces</li> </ul>  | Y |      |         | Potential trip hazard                                    | Ensure leads<br>and hoses are<br>stored correctly<br>and cable<br>covers used in<br>high pedestrian<br>areas while in<br>use. | М                  |  |                     |   |  |
| 13. Are there ERGONOMIC - MANUAL HANDLING hazards associated with the plant?  Poor posture Repetitive or sustained movements Awkward positions Strained movements Poorly designed seating Access and egress Access for maintenance Routine inspections and adjustments | Y |      |         | Potential injury from repetitive use and/or poor posture | Use only as per<br>the manfacturers<br>specifications  Ensure operators take regular rest breaks.                             | L                  |  |                     |   |  |

Revision No: 2

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity.



| Potential Hazards   | ŀ | Hazar |         | Describe Hazard | Controls | Current Risk Level | New or Additional<br>Controls Required | Final Risk<br>Level | New or Additional<br>Controls Action<br>By: | Action Verified as Complete: (Name and |
|---|---|-------|---------|-----------------|----------|--------------------|--|---------------------|---|--|
|   | Υ | N     | N/<br>A |                 |          |                    | on Plant                               | 20101               | (Name and Date)                             | Date)                                  |
| 14. Are there ERGONOMIC - OPERATING CONTROL hazards associated with the plant?  |   | N     |         |                 |          |                    |  |                     |   |  |
| <ul> <li>Difficult to understand</li> <li>Inappropriate colouring</li> <li>Function not identified</li> <li>Inappropriate controls &amp; switches</li> <li>Access and egress</li> <li>Labelling of controls and indicators</li> <li>Variation in operators</li> <li>Operation by two or more persons</li> </ul> |   |       |         |                 |          |                    |  |                     |   |  |
| 15. Are there specific requirements for ISOLATION of energy sources?  |   | N     |         |                 |          |                    |  |                     |   |  |
| Hydraulic pressure     Compressed gases     Electrical feeds/capacitors     Motive power systems     Suspended loads     Operation by two or more persons   |   |       |         |                 |          |                    |  |                     |   |  |
| 16. Can unplanned LOSS of POWER create a hazard?  |   | N     |         |                 |          |                    |  |                     |   |  |
| <ul> <li>Engine shutdown</li> <li>Loss of electrical supply</li> <li>Loss of steering systems</li> <li>Ability to apply brakes and stop</li> <li>Ability to lower suspended loads</li> </ul>  |   |       |         |                 |          |                    |  |                     |   |  |

Revision No: 2

Issue Date: 21/2/2023

Page 9 of 16



| Potential Hazards  | I | Hazaı | d<br>N/ | Describe Hazard | Controls | Current Risk Level | New or Additional<br>Controls Required | Final Risk<br>Level | New or Additional<br>Controls Action<br>By: | Action Verified as Complete: (Name and |
|--|---|-------|---------|-----------------|----------|--------------------|--|---------------------|---|--|
|  | Υ | N     | A       |                 |          |                    | on Plant                               |                     | (Name and Date)                             | Date)                                  |
| 17. Can anyone be SUFFOCATED?  |   | N     |         |                 |          |                    |  |                     |   |  |
| <ul> <li>Lack of oxygen</li> <li>Contaminated atmosphere</li> <li>Confined spaces</li> <li>Spaces where air flow is inadequate</li> </ul>  |   |       |         |                 |          |                    |  |                     |   |  |
| 18. Does operation of the plant cause extreme TEMPERATURE changes?   |   | N     |         |                 |          |                    |  |                     |   |  |
| <ul> <li>Fire</li> <li>Burns through conduction</li> <li>Convection</li> <li>Cryogenic burns</li> <li>Operation in extreme heat or cold</li> </ul>                                   |   |       |         |                 |          |                    |  |                     |   |  |
| <ul> <li>19. Can a FIRE occur?</li> <li>Friction</li> <li>Ingress of materials/fluids</li> <li>Build-up of materials/lubricants</li> <li>Fuels</li> <li>Fire extinguisher</li> </ul> |   | N     |         |                 |          |                    |  |                     |   |  |
| 20. Can certain WEATHER conditions create a hazard?  |   | N     |         |                 |          |                    |  |                     |   |  |
| Hypothermia / extreme cold Heat stroke / extreme hot Wet conditions Electrical storms Dirt & mud on roads at egress points   |   |       |         |                 |          |                    |  |                     |   |  |

Revision No: 2

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity



| Potential Hazards  | ı | Hazaı |         | Describe Hazard  | Controls   | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|--|---|-------|---------|--|--|--------------------|--|------------|--------------------------------------|------------------------------|
|  | Υ | N     | N/<br>A |  |  |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and Date)              |
| 21. Does VIBRATION of the plant create a hazard?   |   | N     |         |  |  |                    |  |            |                                      |                              |
| <ul> <li>Plant becomes unstable</li> <li>Causes physical problems for<br/>the operator whilst operating</li> <li>Vibration of equipment</li> <li>Operation could cause<br/>unacceptable vibration levels<br/>in nearby structures</li> </ul> |   |       |         |  |  |                    |  |            |                                      |                              |
| 22. Can the plant emit toxic FUMES or VAPOURS?   | Υ |       |         | Potentiual injury or allergy from inhalation of dust/fumes | Use only as per the manfacturers specifications            | L                  |  |            |                                      |                              |
| <ul><li>Exhaust fumes</li><li>Chemicals</li><li>Haz chemicals/DG's</li></ul>   |   |       |         |  | Use in well ventilated area                                |                    |  |            |                                      |                              |
|  |   |       |         |  | Use appropriate PPE including respirator mask as required. |                    |  |            |                                      |                              |
| 23. Carry out NOISE survey on page 14. Is the plant noisy?   |   |       | N/<br>A |  |  |                    |  |            |                                      |                              |
| <ul> <li>Emit &gt;85 dBA at the operator</li> <li>Effects operator<br/>communication</li> <li>Noise impacts on community<br/>during out-of-hours work<br/>(including reversing beepers)</li> </ul>   |   |       |         |  |  |                    |  |            |                                      |                              |
| 24. Carry out the LIGHT survey on page 14. Is there poor visibility  |   |       | N/<br>A |  |  |                    |  |            |                                      |                              |
| <ul> <li>At the controls</li> <li>At the task</li> <li>Darkens surrounding areas</li> <li>Light impacts on community or sensitive natural environment during out-of-hours work</li> </ul>  |   |       |         |  |  |                    |  |            |                                      |                              |

Revision No: 2

Issue Date: 21/2/2023

Page 11 of 16



| Potential Hazards   | ŀ | Hazar |         | Describe Hazard  | Controls                                     | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|---|---|-------|---------|------------------|--|--------------------|--|------------|--------------------------------------|------------------------------|
|   | Υ | N     | N/<br>A |                  |  |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and Date)              |
| 25. Does the plant emit RADIATION?  |   | Z     |         |                  |  |                    |  |            |                                      |                              |
| ■ Eg X-rays<br>■ EMR  |   |       |         |                  |  |                    |  |            |                                      |                              |
| Laser   |   |       |         |                  |  |                    |  |            |                                      |                              |
| 26. Can operation of the plant create DUST?   | Υ |       |         | Potential Hazard | Care is to be taken when disposing of        |                    |  |            |                                      |                              |
| <ul><li>Explosive atmosphere</li><li>Breathing hazard</li></ul>                                   |   |       |         |                  | contents.                                    |                    |  |            |                                      |                              |
| <ul> <li>Reduced visibility</li> <li>Nuisance dust at nearby<br/>community</li> </ul>             |   |       |         |                  | A job specific assessment must be            |                    |  |            |                                      |                              |
| <ul> <li>Impact on local flora and<br/>fauna</li> <li>Loss of topsoil and spread of</li> </ul>    |   |       |         |                  | undertaken by client onsite to determine PPE |                    |  |            |                                      |                              |
| weeds and pathogens   |   |       |         |                  | and controls                                 |                    |  |            |                                      |                              |
| 27. Can the plant become UNSTABLE during operation?   |   | Z     |         |                  |  |                    |  |            |                                      |                              |
| Working on uneven / unstable<br>ground  |   |       |         |                  |  |                    |  |            |                                      |                              |
| <ul><li>Shifting load</li><li>Lack of plant support</li><li>Outriggers</li></ul>                  |   |       |         |                  |  |                    |  |            |                                      |                              |
| 28. Could LOSS of LOAD occur?   |   | Z     |         |                  |  |                    |  |            |                                      |                              |
| <ul><li>Failure of ropes/slings</li><li>Overloading</li><li>Entanglement in surrounding</li></ul> |   |       |         |                  |  |                    |  |            |                                      |                              |
| structures  • Maintenance requirements  |   |       |         |                  |  |                    |  |            |                                      |                              |

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity

Issue Date: 21/2/2023



| Potential Hazards  |   | Hazard |         | Describe Hazard  | Controls   | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|--|---|--------|---------|------------------|--|--------------------|--|------------|--------------------------------------|------------------------------|
|  | Υ | N      | N/<br>A |                  |  |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and Date)              |
| 29. Is there anything in the SURROUNDING ENVIRONMENT that may produce a hazard?  Power lines Low ceiling Other plant Storage areas Co-located equipment Isolation requirements Potential for flash flooding if operating adjacent to waterways Operating in known areas of weeds, pathogens or contamination Operating in sensitive environments requiring protection from offsite weeds/pathogens or spills | Y |        |         | Potential Hazard | A site specific risk assessment must be undertaken by client to determine controls, PPE & exclusion zones. |                    |  |            |                                      |                              |
| 30. Can CHEMICALS create a hazard?  Leaking from plant Splashing Explosion PPE considerations Spill kit considerations   |   |        | N/<br>A |                  |  |                    |  |            |                                      |                              |
| 31. Operator TRAINING / QUALIFICATIONS?  Training requirements Qualification requirements Competency assessments Documentation Operator's manual Equipment experience Product knowledge  |   |        | N/<br>A |                  |  |                    |  |            |                                      |                              |

Revision No: 2 Page 13 of 16



| Potential Hazards  |   | Hazard |         | Describe Hazard | Controls  | Current Risk Level | New or Additional<br>Controls Required | Final Risk | New or Additional<br>Controls Action | Action Verified as Complete: |
|--|---|--------|---------|-----------------|-----------|--------------------|--|------------|--------------------------------------|------------------------------|
|  | Υ | N      | N/<br>A |                 | 30111.010 |                    | on Plant                               | Level      | By:<br>(Name and Date)               | (Name and Date)              |
| 32. Are there ANY OTHER potential hazards generated by or during the use of this item of plant and/or any attachments? |   | N      |         |                 |           |                    |  |            |                                      |                              |

ALL OPERATORS OF THE PLANT OR EQUIPMENT MUST BE BRIEFED ON THE PLANT HAZARD ASSESSMENT (PHA) PRIOR TO FIRST TIME USE.

ANY RELEVANT CONDITIONS WHICH MAY IMPACT ON THE OPERATION OF THIS ITEM OF PLANT OR EQUIPMENT MUST BE TRANSFERRED TO THE AMS/TRA.

Revision No: 2



| NOISE REPORT   |                 |                  |              |  |  |  |  |
|--|-----------------|------------------|--------------|--|--|--|--|
| Equipment Type:  | Dust extractor  | Serial/Asset No. | DUST1-3      |  |  |  |  |
| Make:  | Scan Dust Mini  | Model:           | 50L          |  |  |  |  |
| Test by (print):   | Leigh Evans     | Date:            | 17/6/20      |  |  |  |  |
| Signature:   |                 |                  |              |  |  |  |  |
| Sound Level Meter Unit Used:   |                 |                  |              |  |  |  |  |
| Manufactures specifie  | ed noise level: | 65 dBA           |              |  |  |  |  |
| Background level:  |                 |                  | dBA          |  |  |  |  |
| Results - Operator's   |                 | 65 dBA High Idle |              |  |  |  |  |
| (Equipment Operating   | 1)              |                  | dBA Low Idle |  |  |  |  |
| Comments:  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
| Results – Bystander F  |                 |                  |              |  |  |  |  |
| At 7 metres from side of equipment – Equipment Operating (High Idle) |                 |                  |              |  |  |  |  |
| Front  |                 |                  | dBA          |  |  |  |  |
| Rear   |                 |                  | dBA          |  |  |  |  |
| Left   |                 |                  | dBA          |  |  |  |  |
| Right  |                 |                  | dBA          |  |  |  |  |
| Comments:  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |
|  |                 |                  |              |  |  |  |  |

| LIGHTING REPORT                                     |   |       |      |     |  |  |  |
|---|---|-------|------|-----|--|--|--|
| Test by (print):                                    |   | Date: |      |     |  |  |  |
| Signature:  |   |       |      |     |  |  |  |
| Lux Meter used:                                     |   |       |      |     |  |  |  |
| Results - Operator's station                        |   |       |      |     |  |  |  |
| At controls   |   |       |      | Lux |  |  |  |
| At emergency control                                |   |       |      | Lux |  |  |  |
| In front/over task                                  |   |       |      | Lux |  |  |  |
| Left side task                                      |   |       |      | Lux |  |  |  |
| Right side task                                     |   |       |      | Lux |  |  |  |
| Comments:   | I |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
| Results – Surroundings:                             |   |       |      |     |  |  |  |
| Clearly seen by others?                             |   | □ Yes | □ No |     |  |  |  |
| Decrease lighting in walkways                       | ? | □ Yes | □ No |     |  |  |  |
| Decrease lighting to other workstations? ☐ Yes ☐ No |   |       |      |     |  |  |  |
| Comments:   |   |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
|   |   |       |      |     |  |  |  |
|   |   |       |      | ]   |  |  |  |
|   |   |       |      | -   |  |  |  |

Revision No: 2



This Hazard Identification and Risk Assessment has been prepared based on several key assumptions:

- 1. That all examples of the plant currently in service are as per their original specification.
- 2. That all examples of the plant have not been modified in any way without the prior written consent of the manufacturer or owner.
- 3. That all examples of the plant are operated and maintained in accordance with the Manufacturer's Instructions and with all applicable statutory requirements.

Northern Hire Group have made every attempt to identify all reasonable foreseeable operating circumstances in preparing this assessment, however no guarantee as to the completeness of this Assessment is provided or implied.

You should always check any applicable legislation and make your own judgement about what action you may need to take to ensure you have complied with the law.

It is the responsibility of the Employer, Contractor, Operator(s) to assess and identify any **site or operation specific hazard** associated with the use of this equipment specifically applicable to the task to be carried out and to where the equipment is to be used or located. They must assess the risk potential for each of the identified hazards and ensure that all reasonably practicable steps are undertaken to ensure those risks are effectively controlled.

All operators must be trained and competent in the use of this plant and hold appropriate qualifications as required by applicable regulatory requirements.

Operators of the plant to which this Risk Assessment refers must read and understand the instructions for Use and Warnings contained in the Operator Manual, or supplied with this Assessment, prior to use.

All daily Pre-Start checks, Routine and Periodic Inspections, Maintenance and Repairs to this plant must be carried out in accordance with the requirements of applicable Australian Standards.

| NOTES: |  |
|--------|--|
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |

Revision No: 2

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity