Issue Date: 16/1/2022



Page 1 of 19

Assessment Number: 1		4	Assessment Date: 16/2/2022
Plant Type: Portable Generators 20kVA to 200kVA Plant Make: FG Wilson/Kubota/PR Power Plant Model:		,	Assessment Facilitated by: Leigh Evans (Admin/Accounts Manager)
Asset/Fleet/Rego No: GEN Plant Serial No. Various		4	Assessment Participants: Lachlan Horton (Yard Manager)
Plant Owner Name: Northern Hire Group			nitial Assessment
Follow up based on change to:			
Use of plant ☐ System of work ☐ Plant	t Environme	ent 🗌	New or additional information Plant through modification
The list of hazards and controls contained in this assessment is not exha works and conditions, and will only used in a manner for which it is inten			ots that they have made their own determination that the plant/equipment is suitable for the proposed of the same
Is the plant designed to perform the task?	Yes X	No 🗆	
Has the plant been modified from the original condition?	Yes 🗌	No X	
Is the plant in good working condition and free of weeds & mud?	Yes X	No 🗆	
All identified action items closed out/addressed (plant checks)?	Yes X	No 🗆	
Is the plant safe to operate? (On completion of PHA and action closure)	Yes X	No 🗆	
			Date: Signature:

Revision No: 3



Risk / Opportunity Rating Table (see <u>Risk Management Consultation</u> <u>Process Appendix</u> for a full description of Risk Consequence, Opportunity Consequence and Likelihood Ratings)

	Almost Certain	D	С	В	Α	Α			
ting	Likely	D	D	С	В	Α			
Likelihood rating	Possible	Е	D	С	С	В			
Likeli	Unlikely	Е	E	D	С	В			
	Rare	Е	E	D	D	С			
		1	2	3	4	5			
		Consequence rating							

Action and Approval Scheme

These suggested timings and tolerance levels in the Action Table will be overridden by specific policies of the company that either dictate shorter timeframes for corrective action or zero tolerance. For example, the company has a zero tolerance policy for Safety and Environmental risks.

The decision to tolerate a risk or capture a opportunity should be based on a consideration of:

Whether the risk / opportunity is being controlled to a level that is reasonably achievable;

Whether it would be cost-effective to further control risk or capture the opportunity;

Whether the user wishes to tolerate risks / opportunities of that type

Action Table

Residual risk / opp level	Suggested action	Timing of status report and management plans	Authority for continued toleration or improvement of residual rating.
A	Take action to eliminate or implement additional controls to reduce it to acceptable level (ALARP/SFAIRP). "Onsite activities" — Intolerable and activity must not commence	Report as soon as practicable. Normally within hours.	Senior Executive Manager Plus Project Manager / Project Leadership Team
В	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Corporate Management review	Manage and re-evaluate risk / opportunity to allow reporting days Manage and re-evaluate risk / opportunity to allow reporting every two weeks	General Manager and / or Project Manager / Project Leadership Team
С	Implement additional controls reduce it to ALARP/SFAIRP. "Onsite activities" – must not commence without Site Management review	Manage and re-evaluate risk / opportunity to allow reporting monthly	"Specialist" Manager, eg Construction or Design Manager
D	Will still require attention within existing operations to reduce to ALARP/SFAIRP. "Onsite Activities" – Site Management must determine appropriate level of management and supervision prior to commencement of activity	Manage and re-evaluate risk / opportunity to allow reporting every quarter	Team Leader
E	Lower priority. May be tolerable	Monitor, manage and carryout activity in accordance with identified controls	Supervisor

Revision No: 3

Issue Date: 16/1/2022



Potential Hazards	otential Hazards			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
1. Are there any specific warnings or conditions (manufacturers or other) relating to potential hazards from the operation of the item of plant? Refer to technical or operating manuals, SOPs, safe use instructions List any relevant safety warning hazards & controls	Y			Potential Hazard	The hazards and risks listed here are generic for this type of equipment. Please refer to Electrical Safety Sheet and model specific Safety Precautions listed in the equipments Operator Manual					
2. Are there any COMMUNICATION requirements in relation to the safe operation of the plant? Active signalling processes. Point to point communications. Whistle Spotter (with/without whistles) Flag signalling Labels and signage	Y			Potential Hazard	Please refer to Electrical Safety Sheet and model specific Safety Precautions listed in the equipments Operator Manual. A site specific hazard assessment may be required.					

Revision No: 3

When printed this decument is an uncontrolled version and must be checked against the IMS electronic version for validity.



Potential Hazards	ŀ	Hazard		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
3. Can anyone be ENTANGLED in the plant? Hair or other body parts caught in moving parts PPE caught in moving parts Isolation devices Warning decals Guarding Rotating parts Emergency stops	Y			Potential Hazard	Keep body parts, loose clothing, jewellery, hair etc. clear of moving parts. Operators should familiarise themselves with emergency stop procedure prior to starting equipment, and maintain exclusion zone around equipment while in use.					

Revision No: 3 Page 4 of 19

Issue Date: 16/1/2022



Potential Hazards	Y	Haza	rd N/ A	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required on Plant	Final Risk Level	New or Additional Controls Action By: (Name and Date)	Action Verified as Complete: (Name and Date)
4. Can anyone be CRUSHED or TRAPPED? (e.g. through unexpected movement, lack of capability for plant or equipment to be slowed, stopped or immobilised, plant tipping or rolling, being thrown from plant) Emergency stop (E Stop) Service or parking brake Battery isolator ROPs/FOPs Being crushed between moving parts Unexpected movement Neutral Start Reversing/travel alarm Warning horn Amber flashing beacon Rear swing warning lights Pedals non slip surface Appropriate controls Rear view mirror Seat belt Door inter locks Crush zone decals Guarding devices Mandatory secondary protection device installed on all boomtype MEWP	Y			Potential Hazard	Site specific risk assessment required. Ensure wheels (if fitted) are chocked and equipment is on level & stable ground.					

Revision No: 3 Page 5 of 19



Potential Hazards	ı	Hazaı		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
5. Can anyone be CUT, STABBED or PUNCTURED? Flying objects Moving parts Pinch points Sharp edges Isolation devices Warning decals Guarding	Y			Potental Hazard	Establish exclusion zone around job site and keep body parts, clothing, hair, etc clear of moving parts. Please refer to model specific Safety Precautions listed in the equipments Operator Manual					
Can SHEARING occur? Between two moving and rotating parts Between fixed and moving parts Warning decals Guarding	Y			Potential Hazard	Establish exclusion zone around job site and keep body parts, clothing, hair, etc clear of moving parts. Please refer to model specific Safety Precautions listed in the equipments Operator Manual					
 7. Can ABRASION, TEARING or STRETCHING occur? Continuous contact with moving parts Warning decals Guarding Pulling/pushing 	Y			Potential Hazard	Establish exclusion zone around job site and keep body parts, clothing, hair, etc clear of moving parts. Please refer to model specific Safety Precautions listed in the equipments Operator Manual					

Revision No: 3

Page 6 of 19

Issue Date: 16/1/2022



Potential Hazards	ı	Hazar	d	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
8. Can anyone be STRUCK whilst operating the plant? Plant disintegrating Mobility of plant travelling Reversing/travel alarm Amber flashing beacon Work pieces thrown out Moving parts Warning decals Guarding	Y			Potential hazard	Please refer to model specific Safety Precautions listed in the equipments Operator Manual Site risk assessment must be undertaken by client prior to operating plant					
 9. Can a hazardous PRESSURE be produced? Hydraulic hoses Radiator Come into contact with fluids under high pressure 	Y			Potential Hazard	Please refer to model specific Safety Precautions listed in the equipments Operator Manual					

Revision No: 3

When printed this decument is an uncontrolled version and must be checked against the IMS electronic version for validity.



10. Can an ELECTRICAL	Y		Potential Hazard	Regular			
hazard be created?	Υ		Potential Hazard	regular			
				inspection of			
Lack of insulation				equipment is			
Contact with electrical				required to			
conductors				check for any			
Poor earthing				damage. If			
Water near equipment				damage is			
Lack of isolation				evident, isolate			
Warning decals				from site, clearly			
- warning decais				label and do not			
				use.			
				Please refer to			
				Electrical Safety			
				Sheet and			
				model specific			
				Safety			
				Precautions			
				listed in the			
				equipments			
				Operator			
				Manual.			
				Mariuai.			
				Ensure			
				generator and			
				cables are not			
				positioned in or			
				near water, or			
				where			
				equipment could			
				fall into water.			
				Shelter			
				equipment and			
				connections			
				from rain and			
				other possible			
				water sources.			
				Ensure power			
				supply is RCD			
				protected and			
				tested prior to			
				use. Hard wiring			
				of generators			
				should only be			
				performed by a			
				licenced			
				electrician.			
		1	l	C.OOLIIOIGIII	l .	I .	l .

Revision No: 3



Potential Hazards	ŀ	Hazar		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
11. Can an EXPLOSION or LOSS OF CONTENTS occur? Gas emission, Dusts Vapours, lubricants Fuel tank Storage of haz chemicals/ DG's near plant Warning decals Ejection of workpiece Collapse or fragmentation	Y			Potential Hazard	Please refer to model specific Safety Precautions listed in the equipments Operator Manual. Ensure equipment is shut down and cooled before refuelling, Refuel in well ventilated area only. Do not refuel near naked flame. Do not smoke near fuels. Avoid spillage and clean up any fuel run off.					
 12. Can anyone using or near the plant SLIP, TRIP or FALL? Uneven surface Fall from a height Weather conditions Slippery surfaces 	Y			Potential Hazard	Site risk assessment must be undertaken by client prior to operating plant					

Revision No: 3 Page 9 of 19

Issue Date: 16/1/2022



Potential Hazards	ŀ	Hazar		Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
13. Are there ERGONOMIC - MANUAL HANDLING hazards associated with the plant? Poor posture Repetitive or sustained movements Awkward positions Strained movements Poorly designed seating Access and egress Access for maintenance Routine inspections and adjustments	Y			Potential Hazard	Do not attempt to lift the generator without the aid of a suitably rated lifting device.					
14. Are there ERGONOMIC - OPERATING CONTROL hazards associated with the plant?		N								
 Difficult to understand Inappropriate colouring Function not identified Inappropriate controls & switches Access and egress Labelling of controls and indicators Variation in operators Operation by two or more persons 										

Revision No: 3

When printed this decument is an uncontrolled version and must be checked against the IMS electronic version for validity.

Issue Date: 16/1/2022



Potential Hazards	ŀ	Hazaı	ď	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A	Docoriso riazara	001111010	Gurrone reion 2010.	on Plant	Level	By: (Name and Date)	(Name and Date)
15. Are there specific requirements for ISOLATION of energy sources? Hydraulic pressure Compressed gases Electrical feeds/capacitors Motive power systems Suspended loads Operation by two or more persons	Y			Potential Hazard	Please refer to Electrical Safety Sheet and model specific Safety Precautions listed in the equipments Operator Manual.					
 16. Can unplanned LOSS of POWER create a hazard? Engine shutdown Loss of electrical supply Loss of steering systems Ability to apply brakes and stop Ability to lower suspended loads 	Y			Potential Hazard	Refer to model specific safety precautions located in the operator manual.					
17. Can anyone be SUFFOCATED? Lack of oxygen Contaminated atmosphere Confined spaces Spaces where air flow is inadequate	Y			Potential hazard – asphyxiation	Use in well ventilated area only. Please refer to model specific Safety Precautions listed in the equipments Operator Manual					

Revision No: 3 Page 11 of 19

Issue Date: 16/1/2022



Potential Hazards	Hazard			Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
18. Does operation of the plant cause extreme TEMPERATURE changes? • Fire • Burns through conduction • Convection • Cryogenic burns • Operation in extreme heat or cold	Y			Potential Hazard	Avoid contact with hot engine or exhaust. Allow equipment to cool before refuelling, moving, transporting or storing.					
 19. Can a FIRE occur? Friction Ingress of materials/fluids Build-up of materials/lubricants Fuels Fire extinguisher 	Y			Potential Hazard	Allow equipment to cool before refuelling, moving, transporting or storing. Please refer to model specific Safety Precautions listed in the equipments Operator Manual					
20. Can certain WEATHER conditions create a hazard? Hypothermia / extreme cold Heat stroke / extreme hot Wet conditions Electrical storms Dirt & mud on roads at egress points	Y			Potential Hazard	Site specific risk assessment must be undertaken by client prior to operating plant. Observe local weather warnings.					

Revision No: 3 Page 12 of 19

Issue Date: 16/1/2022



Potential Hazards	ŀ	Hazar	ď	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action By: (Name and Date)	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level		(Name and Date)
 21. Does VIBRATION of the plant create a hazard? Plant becomes unstable Causes physical problems for the operator whilst operating Vibration of equipment Operation could cause unacceptable vibration levels in nearby structures 	Y			Potential Hazard	Equipment should only be used on level, stable ground with wheels (if fitted) chocked. Please refer to model specific Safety Precautions listed in the equipments Operator Manual					
22. Can the plant emit toxic FUMES or VAPOURS? Exhaust fumes Chemicals Haz chemicals/DG's	Y			Potential Hazard from exhaust fumes	Do not use in enclosed spaces. Ensure adequate ventilation					
23. Carry out NOISE survey on page 14. Is the plant noisy? Emit >85 dBA at the operator Effects operator communication Noise impacts on community during out-of-hours work (including reversing beepers)	Y			Potential hazard with prolonged use	Site specific risk assessment must be undertaken by client prior to operating plant Please refer to model specific Safety Precautions listed in the equipments Operator Manual					

Revision No: 3 Page 13 of 19

Issue Date: 16/1/2022



Potential Hazards	ŀ	Hazaı	rd	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A				on Plant	Level	By: (Name and Date)	(Name and Date)
24. Carry out the LIGHT survey on page 14. Is there poor visibility			N/ A							
 At the controls At the task Darkens surrounding areas Light impacts on community or sensitive natural environment during out-of-hours work 										
25. Does the plant emit RADIATION?		N								
■ Eg X-rays ■ EMR ■ Laser										
26. Can operation of the plant create DUST? Explosive atmosphere Breathing hazard Reduced visibility Nuisance dust at nearby community Impact on local flora and fauna Loss of topsoil and spread of weeds and pathogens	Y			Potential Hazard	Site risk assessment must be undertaken by client to ensure hazardous dust is not disturbed by plant/task (e.g. asbestos) Exclusion zones and PPE (goggles, mask, protective clothing) will be required and a risk assessment must be undertaken onsite to determine PPE and controls					

Revision No: 3 Page 14 of 19



Potential Hazards	ŀ	Haza	rd	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
	Υ	N	N/ A	3000.000 1024.14	001111		on Plant	Level	By: (Name and Date)	(Name and Date)
 27. Can the plant become UNSTABLE during operation? Working on uneven / unstable ground Shifting load Lack of plant support Outriggers 	Y			Potential Hazard	Please refer to model specific Safety Precautions listed in the equipments Operator Manual Site specific risk assessment must be undertaken by client onsite to determine PPE and controls					
 28. Could LOSS of LOAD occur? Failure of ropes/slings Overloading Entanglement in surrounding structures Maintenance requirements 	Y			Potential Hazard	Refer to Operator manual for pre- operational checks, maintenance & load capacity					
29. Is there anything in the SURROUNDING ENVIRONMENT that may produce a hazard? Power lines Low ceiling Other plant Storage areas Co-located equipment Isolation requirements Potential for flash flooding if operating adjacent to waterways Operating in known areas of weeds, pathogens or contamination Operating in sensitive environments requiring protection from offsite weeds/pathogens or spills	Y			Potential Hazard	Site specific risk assessment must be undertaken by client to determine controls, PPE & exclusion zones.					

Revision No: 3

Issue Date: 16/1/2022

Page 15 of 19



Potential Hazards	Hazard		rd	Describe Hazard	Controls	Current Risk Level	New or Additional Controls Required	Final Risk	New or Additional Controls Action	Action Verified as Complete:
T Otomat Hazardo	Υ	N	N/ A	Describe Hazard		Carrone relation 2010.	on Plant	Level	By: (Name and Date)	(Name and Date)
30. Can CHEMICALS create a hazard? Leaking from plant Splashing Explosion PPE considerations Spill kit considerations	Y		A	Potential Hazard	Avoid contact with fuels/lubricants. Site specific risk assessment must be undertaken by client to detemine controls, PPE & exclusion zones.					
31. Operator TRAINING / QUALIFICATIONS? Training requirements Qualification requirements Competency assessments Documentation Operator's manual Equipment experience Product knowledge	Y				All operators must completely read and understand the Operator Manual prior to operating plant. Undertake a Job Safety and Environmental Analysis before use of plant, and use to determine that the relevant safety procedures are in place before commencing work.					
32. Are there ANY OTHER potential hazards generated by or during the use of this item of plant and/or any attachments?	Y			Plant Failure	Pre – Operational Inspection	D	DAILY - Operators must complete Start-up checklist Operation checklist Parking Checklist	E		

ALL OPERATORS OF THE PLANT OR EQUIPMENT MUST BE BRIEFED ON THE PLANT HAZARD ASSESSMENT (PHA) PRIOR TO FIRST TIME USE.

Revision No: 3

Page 16 of 19



ANY RELEVANT CONDITIONS WHICH MAY IMPACT ON THE OPERATION OF THIS ITEM OF PLANT OR EQUIPMENT MUST BE TRANSFERRED TO THE AMS/TRA.

Revision No: 3 Page 17 of 19



NOISE REPORT			
Equipment Type:	Large Generator 20kVA to 200kVA	Serial/Asset No.	GEN
Make:	Various	Model:	
Test by (print):	Leigh Evans	Date:	16/1/2022
Signature:			
Sound Level Meter U	nit Used:		
Manufactures specific	ed noise level:		>80 dBA
Background level:			dBA
Results - Operator's	Station	>80	dBA High Idle
(Equipment Operating	g)	>80	dBA Low Idle
		700	aba Low Idio
Comments:			
	- 111		
Results – Bystander At 7 metres from side		nmont Operating (His	ah Idla)
Front	or equipment – Equi	pinent Operating (Hig	dBA
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
Rear			dBA
Left			dBA
Right			dBA
Comments:			

LIGHTING REPORT				
Test by (print):		Date:		
Signature:				
Lux Meter used:				
Results - Operator's station				
At controls			L	.ux
At emergency control			L	.ux
In front/over task			L	.ux
Left side task			L	.ux
Right side task			L	.ux
Comments:				
Results – Surroundings:				
Clearly seen by others?		□ Yes	□ No	
Decrease lighting in walkways	6?	□ Yes	□ No	
Decrease lighting to other wor	kstations?	□ Yes	□ No	
Comments:				

Revision No: 3
Issue Date: 16/1/2022



COMMENTS:
Operators must be trained and competent to use this equipment safely.
This document is intended as a generic guide only.
Electrical work to be performed by suitably qualified personnel only.
Additional site specific risks may be encountered during normal operation of this portable generator.
Please also refer to engine/alternator manuals for additional information.

When printed this document is an uncontrolled version and must be checked against the IMS electronic version for validity

Issue Date: 16/1/2022